

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Physical activity	49.7	40.9 - 58.5	55	35.1	27.1 - 44.0	66	31.7	25.8 - 38.3	96	37.2	32.9 - 41.8	217
b. Nutrition	36.3	28.9 - 44.5	55	33.0	25.8 - 41.0	66	29.7	24.0 - 36.1	96	32.4	28.4 - 36.6	217
c. Tobacco-use prevention	36.5	29.0 - 44.7	55	33.7	26.3 - 42.1	66	28.6	23.1 - 34.9	96	32.2	28.3 - 36.5	217
d. Asthma	36.7	29.1 - 45.0	55	35.0	27.4 - 43.5	66	23.7	18.4 - 29.9	96	30.6	26.6 - 34.9	217
e. Injury and violence prevention	34.5	26.8 - 43.1	55	31.8	25.1 - 39.3	66	28.5	22.7 - 35.2	96	31.1	27.1 - 35.3	217

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Health education	33.8	26.1 - 42.6	56	47.2	38.7 - 55.9	69	21.9	17.2 - 27.6	95	33.5	29.4 - 37.8	220
b. Physical education and physical activity	34.9	27.3 - 43.3	57	40.8	32.4 - 49.7	68	23.8	18.7 - 29.9	96	32.2	28.2 - 36.6	221
c. Nutrition services and foods and beverages available at school	30.2	22.6 - 39.1	56	37.1	29.9 - 45.0	69	17.7	14.0 - 22.0	96	27.3	23.8 - 31.2	221
d. Health services	33.8	25.8 - 42.8	56	34.7	28.3 - 41.7	69	20.8	16.2 - 26.4	96	28.7	25.1 - 32.6	221
e. Mental health and social services	29.5	22.2 - 38.1	54	25.3	19.7 - 31.9	69	18.6	14.0 - 24.2	95	23.5	20.1 - 27.2	218
f. Healthy and safe school environment	49.7	40.3 - 59.1	56	48.7	40.6 - 56.9	69	44.9	38.9 - 51.1	96	47.3	42.9 - 51.8	221
g. Family and community involvement	48.8	40.1 - 57.6	55	47.7	40.6 - 54.8	68	43.4	37.1 - 49.9	96	46.1	42.0 - 50.4	219
h. Faculty and staff health promotion	32.7	24.8 - 41.7	55	35.0	28.1 - 42.6	68	21.9	16.8 - 28.2	95	29.0	25.1 - 33.2	218

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.4	54.4 - 71.5	57	57.3	50.4 - 64.0	67	44.2	38.4 - 50.2	98	53.3	49.2 - 57.2	222

\*Among schools that engaged in an improvement planning process during the past year.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.5	85.0 - 95.3	59	94.6	91.7 - 96.5	71	91.7	87.0 - 94.8	100	92.6	90.1 - 94.5	230

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
62.7	54.2 - 70.5	59	63.5	56.7 - 69.8	70	48.7	42.5 - 55.0	98	57.2	53.2 - 61.1	227

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. School administrators	94.4	86.7 - 97.8	36	93.2	86.2 - 96.8	45	93.8	87.6 - 97.0	48	93.7	90.3 - 96.0	129
b. Health education teachers	97.5	91.0 - 99.3	36	85.7	76.4 - 91.7	45	79.8	71.8 - 86.0	48	86.8	82.3 - 90.2	129
c. Physical education teachers	97.5	91.0 - 99.3	36	85.7	76.6 - 91.6	45	86.0	77.8 - 91.5	48	89.0	84.6 - 92.2	129
d. Other classroom teachers	86.3	76.6 - 92.4	36	82.5	75.2 - 88.0	45	78.7	71.0 - 84.8	48	82.2	77.8 - 85.8	129
e. Mental health or social services staff (e.g., school counselors)	68.9	58.5 - 77.7	36	60.2	50.4 - 69.2	44	58.5	48.2 - 68.1	48	61.9	56.1 - 67.5	128
f. Nutrition or food service staff	69.7	58.8 - 78.8	36	66.1	55.6 - 75.2	44	64.3	54.3 - 73.3	48	66.4	60.5 - 71.9	128
g. Health services staff (e.g., school nurse)	88.3	82.6 - 92.2	36	73.1	63.8 - 80.8	45	72.7	63.1 - 80.5	48	77.0	72.0 - 81.4	129
h. Maintenance and transportation staff	22.9	14.1 - 35.1	36	11.1	6.2 - 19.0	44	27.9	19.8 - 37.6	48	20.3	15.9 - 25.6	128
i. Technology staff	24.9	16.2 - 36.3	36	20.2	13.3 - 29.4	44	33.1	24.8 - 42.7	48	26.1	21.3 - 31.6	128
j. Library/media center staff	28.0	18.5 - 40.0	36	17.5	11.2 - 26.4	44	16.9	10.8 - 25.4	48	20.1	15.7 - 25.4	128
k. Student body	44.5	34.8 - 54.7	36	22.1	14.7 - 31.8	44	44.0	34.2 - 54.3	48	36.0	30.6 - 41.8	128
l. Parents or families of students	27.5	18.3 - 39.1	36	46.7	37.8 - 55.8	45	45.8	35.5 - 56.4	48	41.2	35.5 - 47.1	129
m. Community members	27.7	19.2 - 38.3	36	42.3	33.1 - 52.1	44	46.3	36.1 - 56.8	47	39.7	34.1 - 45.7	127

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
n. Local health departments, agencies, or organizations	36.1	27.6 - 45.7	36	24.7	17.1 - 34.3	44	34.3	25.3 - 44.6	48	31.2	26.1 - 36.8	128
o. Faith-based organizations	10.9	5.6 - 20.2	36	4.5	1.7 - 11.2	44	5.8	2.7 - 12.1	48	6.7	4.3 - 10.3	128
p. Businesses	10.9	5.7 - 19.8	36	4.9	1.9 - 12.0	44	7.8	4.1 - 14.4	48	7.6	5.0 - 11.3	128
q. Local government agencies	14.0	9.0 - 21.1	36	8.8	4.6 - 16.5	44	10.5	5.7 - 18.3	48	10.8	7.8 - 14.8	128

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	58.0	46.1 - 69.0	36	49.4	39.8 - 59.0	43	60.5	51.3 - 68.9	48	55.7	49.9 - 61.4	127
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	77.1	65.7 - 85.5	36	65.4	53.5 - 75.6	43	65.3	57.0 - 72.7	48	68.5	62.6 - 73.9	127
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	51.2	39.3 - 62.9	35	44.3	34.0 - 55.0	42	49.4	40.6 - 58.3	48	48.0	42.1 - 54.0	125
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	82.9	72.7 - 89.8	36	79.0	69.4 - 86.1	43	71.3	61.1 - 79.7	47	77.3	71.8 - 82.0	126
e. Reviewed health-related curricula or instructional materials	71.5	60.0 - 80.7	35	66.6	56.8 - 75.1	43	68.4	58.5 - 76.9	48	68.5	62.8 - 73.8	126

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Attendance of students with HIV infection	54.6	46.1 - 62.7	58	68.9	60.7 - 76.1	67	52.7	45.8 - 59.6	100	58.4	54.0 - 62.8	225
b. Procedures to protect HIV-infected students and staff from discrimination	61.0	52.3 - 69.1	57	70.2	61.5 - 77.7	67	55.8	49.2 - 62.2	100	61.8	57.3 - 66.0	224
c. Maintaining confidentiality of HIV-infected students and staff	69.7	61.4 - 76.9	57	76.3	68.3 - 82.8	67	63.0	56.6 - 69.0	100	69.0	64.8 - 72.9	224
d. Worksite safety (i.e., universal precautions for all school staff)	74.2	66.6 - 80.6	59	82.4	75.4 - 87.7	68	74.3	67.8 - 79.8	100	76.9	73.0 - 80.4	227
e. Confidential counseling for HIV-infected students	46.8	37.9 - 56.0	57	49.3	41.6 - 57.0	67	44.5	38.4 - 50.8	100	46.6	42.3 - 51.0	224
f. Communication of the policy to students, school staff, and parents	58.9	49.2 - 67.9	57	65.8	57.4 - 73.3	67	54.8	48.6 - 60.8	100	59.4	54.9 - 63.7	224
g. Adequate training about HIV infection for school staff	61.3	52.6 - 69.4	57	55.2	47.9 - 62.3	67	53.0	47.0 - 58.9	100	55.8	51.7 - 59.8	224
h. Procedures for implementing the policy	62.6	53.5 - 70.9	57	57.9	49.6 - 65.8	67	51.0	44.3 - 57.5	100	56.1	51.6 - 60.5	224

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	23.9	17.0 - 32.6	57	13.4	8.9 - 19.7	67	5.0	2.8 - 8.8	99	12.4	9.8 - 15.5	223
b. Youth who participate in drop-out prevention, alternative education, or GED programs	30.3	23.3 - 38.4	58	14.9	10.0 - 21.5	67	14.3	10.0 - 20.0	99	18.5	15.3 - 22.1	224

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-level club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
31.2	24.7 - 38.6	55	13.4	8.7 - 20.1	64	10.1	6.9 - 14.6	96	16.4	13.6 - 19.6	215

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	62.3	55.1 - 68.9	58	43.4	35.9 - 51.3	68	30.6	24.7 - 37.1	99	42.7	38.7 - 46.7	225
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	91.1	86.5 - 94.3	58	77.7	72.2 - 82.3	68	68.6	61.9 - 74.7	99	77.2	73.7 - 80.3	225
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	61.2	53.2 - 68.7	57	47.6	40.7 - 54.6	68	45.7	38.9 - 52.7	99	50.1	45.9 - 54.3	224
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	44.5	37.0 - 52.3	58	28.4	21.5 - 36.4	67	28.0	21.9 - 35.0	99	32.2	28.2 - 36.5	224
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	48.2	39.4 - 57.1	58	27.5	21.6 - 34.4	68	29.2	23.2 - 36.0	99	33.4	29.4 - 37.6	225

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	58	100.0	†	71	100.0	†	100	100.0	†	229

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

13. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Sixth grade	§	§	§	100.0	†	54	-	-	0	100.0	†	54
b. Seventh grade	§	§	§	98.3	93.8 - 99.5	65	98.0	95.0 - 99.2	92	98.1	96.0 - 99.1	157
c. Eighth grade	§	§	§	100.0	†	64	98.0	95.0 - 99.2	92	98.9	97.2 - 99.5	156
d. Ninth grade	96.3	90.9 - 98.5	54	-	-	0	89.8	85.2 - 93.1	95	92.2	88.9 - 94.5	149
e. Tenth grade	63.2	54.4 - 71.2	54	§	§	§	38.0	31.7 - 44.7	91	47.4	42.2 - 52.6	145
f. Eleventh grade	38.0	31.7 - 44.8	53	§	§	§	12.3	8.6 - 17.5	89	21.9	18.5 - 25.8	142
g. Twelfth grade	34.2	27.2 - 42.0	53	§	§	§	15.7	11.2 - 21.4	90	22.5	18.6 - 27.0	143

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
82.1	74.8 - 87.7	56	81.5	75.0 - 86.6	68	69.5	63.3 - 75.1	96	76.6	72.9 - 79.9	220

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which those who teach physical education are provided with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Goals, objectives, and expected outcomes for physical education	90.6	85.6 - 94.1	58	91.5	85.7 - 95.1	71	88.2	83.5 - 91.7	100	89.9	87.1 - 92.2	229
b. A chart describing the annual scope and sequence of instruction for physical education	75.7	68.9 - 81.4	58	67.1	58.8 - 74.5	71	61.0	55.0 - 66.7	99	66.7	62.6 - 70.5	228
c. Plans for how to assess student performance in physical education	79.0	74.2 - 83.1	58	78.4	71.6 - 83.9	70	74.7	68.9 - 79.7	99	77.0	73.6 - 80.1	227
d. A written physical education curriculum	88.9	81.5 - 93.6	58	82.2	74.4 - 87.9	70	84.0	79.0 - 88.0	100	84.6	81.0 - 87.6	228

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
27.5	20.5 - 35.8	58	61.2	53.2 - 68.6	70	45.1	39.5 - 50.9	99	46.2	42.2 - 50.2	227

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
43.8	36.5 - 51.4	58	63.5	56.0 - 70.4	70	31.5	26.2 - 37.3	100	45.2	41.4 - 49.1	228

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

18. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.1	93.2 - 99.5	58	91.0	84.9 - 94.8	68	90.4	85.3 - 93.8	99	92.5	89.7 - 94.6	225

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.4	64.0 - 79.5	58	66.0	59.8 - 71.7	70	54.2	47.5 - 60.8	100	62.6	58.6 - 66.5	228

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	58	100.0	†	71	99.1	96.6 - 99.7	98	99.6	98.6 - 99.9	227

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	98.3	93.8 - 99.5	58	97.4	93.6 - 99.0	71	95.8	92.0 - 97.8	94	97.0	95.1 - 98.1	223
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	98.3	93.8 - 99.5	58	97.4	93.6 - 99.0	71	95.8	92.0 - 97.8	94	97.0	95.1 - 98.1	223
c. Cigars	94.6	88.8 - 97.5	58	90.3	86.6 - 93.0	71	88.7	83.3 - 92.6	93	90.8	88.1 - 92.9	222
d. Pipes	94.6	88.8 - 97.5	58	90.3	86.6 - 93.0	71	88.7	83.3 - 92.6	93	90.8	88.1 - 92.9	222

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	94.8	89.2 - 97.6	58	95.3	90.3 - 97.8	70	87.1	82.0 - 91.0	93	91.9	89.2 - 94.0	221
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	93.1	86.9 - 96.4	58	91.1	85.0 - 94.8	70	86.1	80.7 - 90.1	93	89.6	86.5 - 92.0	221
c. Cigars	91.2	84.5 - 95.1	58	88.3	82.9 - 92.1	70	82.3	76.7 - 86.9	91	86.6	83.5 - 89.3	219
d. Pipes	91.2	84.5 - 95.1	58	89.7	84.8 - 93.2	70	82.3	76.7 - 86.9	91	87.1	84.1 - 89.7	219

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	89.9	84.6 - 93.6	58	93.1	87.8 - 96.2	70	85.1	79.6 - 89.3	93	89.1	86.1 - 91.4	221
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	81.1	73.3 - 87.0	58	85.2	79.0 - 89.8	69	75.0	68.4 - 80.6	93	80.0	76.2 - 83.3	220
c. Cigars	86.3	79.7 - 90.9	58	85.9	81.4 - 89.4	70	79.2	73.0 - 84.2	91	83.3	80.1 - 86.1	219
d. Pipes	86.3	79.7 - 90.9	58	85.9	81.4 - 89.4	70	79.2	73.0 - 84.2	91	83.3	80.1 - 86.1	219

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	100.0	†	58	100.0	†	71	98.0	95.1 - 99.2	94	99.2	98.0 - 99.7	223
b. During non-school hours	93.4	87.7 - 96.6	58	93.1	87.7 - 96.2	71	92.6	88.0 - 95.5	94	93.0	90.3 - 94.9	223

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	96.5	91.5 - 98.6	58	95.2	90.0 - 97.8	68	89.6	85.2 - 92.9	94	93.2	90.8 - 95.1	220
b. During non-school hours	71.0	62.6 - 78.2	58	82.8	75.3 - 88.4	69	53.9	46.5 - 61.1	93	68.1	63.7 - 72.2	220

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	89.8	82.9 - 94.1	58	94.0	88.7 - 96.9	69	87.5	82.5 - 91.2	94	90.3	87.4 - 92.6	221
b. During non-school hours	71.3	62.8 - 78.5	58	82.8	75.3 - 88.4	69	56.7	49.6 - 63.6	92	69.4	65.1 - 73.4	219

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	58	100.0	†	71	98.0	95.1 - 99.2	94	99.2	98.0 - 99.7	223
b. Outside on school grounds, including parking lots and playing fields	100.0	†	58	98.4	94.3 - 99.6	71	98.0	95.1 - 99.2	94	98.6	97.1 - 99.4	223
c. On school buses or other vehicles used to transport students	100.0	†	58	100.0	†	71	98.0	95.1 - 99.2	94	99.2	98.0 - 99.7	223
d. At off-campus, school-sponsored events	98.3	93.8 - 99.5	58	96.8	92.2 - 98.7	71	95.8	92.1 - 97.9	94	96.8	94.8 - 98.0	223

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. In school buildings	100.0	†	58	100.0	†	70	93.6	89.3 - 96.2	94	97.4	95.6 - 98.5	222
b. Outside on school grounds, including parking lots and playing fields	98.1	93.2 - 99.5	58	93.5	89.8 - 95.9	70	84.3	78.8 - 88.6	94	90.9	88.3 - 93.0	222
c. On school buses or other vehicles used to transport students	100.0	†	58	100.0	†	70	93.6	89.3 - 96.2	94	97.4	95.6 - 98.5	222
d. At off-campus, school-sponsored events	85.5	78.9 - 90.3	57	84.4	77.9 - 89.2	70	78.6	72.9 - 83.4	94	82.3	78.9 - 85.3	221

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	98.4	94.4 - 99.6	58	97.4	93.5 - 99.0	70	91.4	86.6 - 94.6	94	95.2	93.0 - 96.8	222
b. Outside on school grounds, including parking lots and playing fields	88.5	84.1 - 91.8	58	85.0	78.8 - 89.7	68	71.3	64.3 - 77.4	93	80.3	76.7 - 83.5	219
c. On school buses or other vehicles used to transport students	98.4	94.4 - 99.6	58	94.1	88.8 - 96.9	69	88.3	83.0 - 92.2	93	92.8	90.1 - 94.9	220
d. At off-campus, school-sponsored events	53.3	45.7 - 60.7	58	63.9	56.1 - 71.0	69	54.2	46.9 - 61.2	93	57.3	52.9 - 61.5	220

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	98.4	94.3 - 99.6	57	96.8	92.2 - 98.7	71	98.8	95.7 - 99.7	93	98.0	96.2 - 99.0	221
b. Faculty and staff	92.8	86.5 - 96.2	57	92.4	86.6 - 95.8	71	94.4	90.2 - 96.9	91	93.3	90.6 - 95.3	219
c. Visitors	79.4	71.4 - 85.7	54	82.2	75.3 - 87.4	69	76.4	70.2 - 81.6	89	79.2	75.4 - 82.6	212

\*Among those schools that have adopted a policy prohibiting tobacco use.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
94.9	89.3 - 97.6	57	95.8	91.3 - 98.1	71	99.0	96.4 - 99.7	93	96.9	94.9 - 98.1	221

\*Among those schools that have adopted a policy prohibiting tobacco use.  
N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. No single individual is responsible	43.5	35.2 - 52.2	53	46.8	39.1 - 54.7	62	25.1	19.3 - 32.1	89	36.9	32.7 - 41.3	204
b. Principal	45.1	37.4 - 53.0	53	44.0	36.6 - 51.6	62	74.9	67.9 - 80.7	89	57.2	53.0 - 61.4	204
c. Assistant principal	11.4	6.6 - 19.0	53	7.6	4.2 - 13.3	62	0.0	†	89	5.4	3.6 - 7.9	204
d. Other school administrator	0.0	†	53	0.0	†	62	0.0	†	89	0.0	†	204
e. Other school faculty or staff member	0.0	†	53	1.6	0.4 - 5.8	62	0.0	†	89	0.5	0.1 - 1.9	204

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Zero tolerance	80.8	73.1 - 86.8	58	81.3	74.3 - 86.8	69	87.7	83.0 - 91.3	98	83.9	80.4 - 86.8	225
b. Effect or severity of the violation	43.4	35.3 - 51.9	55	72.0	64.3 - 78.6	66	54.1	47.6 - 60.5	96	57.4	53.2 - 61.5	217
c. Grade level of student	23.9	17.6 - 31.6	55	46.9	40.0 - 53.9	66	32.5	26.6 - 39.0	96	35.2	31.4 - 39.2	217
d. Repeat offender status	85.8	79.0 - 90.7	55	91.2	85.2 - 94.9	66	91.9	87.9 - 94.6	97	90.2	87.4 - 92.4	218

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	0.0	†	59	0.0	†	70	0.0	†	100	0.0	†	229
b. Referred to a school counselor	6.7	3.4 - 12.5	59	7.1	3.9 - 12.6	70	8.0	5.3 - 12.0	99	7.4	5.5 - 9.9	228
c. Referred to a school administrator	0.0	†	59	0.0	†	70	0.0	†	100	0.0	†	229
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	20.3	14.2 - 28.3	59	17.3	12.1 - 24.1	70	19.1	14.6 - 24.7	100	18.8	15.7 - 22.5	229
e. Required to participate in an assistance, education, or cessation program	55.9	47.9 - 63.6	59	55.0	46.7 - 63.0	70	41.6	35.2 - 48.3	99	49.6	45.3 - 54.0	228
f. Referred to legal authorities	7.0	3.6 - 13.1	58	12.8	8.6 - 18.6	70	18.2	13.7 - 23.7	98	13.6	11.0 - 16.7	226
g. Placed in detention	11.7	7.1 - 18.6	58	13.9	10.1 - 19.0	70	20.1	15.1 - 26.2	99	16.0	13.1 - 19.3	227
h. Not allowed to participate in extra-curricular activities or interscholastic sports	1.7	0.5 - 6.1	59	4.2	2.0 - 8.9	70	0.9	0.3 - 3.4	100	2.2	1.2 - 4.0	229
i. Given in-school suspension	8.2	4.5 - 14.4	58	4.1	1.9 - 8.5	69	11.9	8.7 - 16.1	99	8.4	6.4 - 10.8	226
j. Suspended from school	10.8	7.0 - 16.2	57	13.6	8.8 - 20.5	70	15.7	11.7 - 20.7	100	13.8	11.1 - 17.0	227
k. Expelled from school	65.8	56.4 - 74.1	59	53.8	46.4 - 60.9	70	55.3	48.5 - 61.8	100	57.4	53.0 - 61.6	229
l. Reassigned to an alternative school	77.6	69.3 - 84.2	59	67.7	59.5 - 75.0	70	71.8	66.0 - 76.9	100	71.9	67.8 - 75.6	229

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	0.0	†	59	0.0	†	70	0.0	†	100	0.0	†	229
b. Referred to a school counselor	19.0	13.2 - 26.4	59	8.4	5.4 - 12.7	70	18.1	13.8 - 23.4	99	15.1	12.4 - 18.2	228
c. Referred to a school administrator	0.0	†	59	0.0	†	70	0.0	†	100	0.0	†	229
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	30.3	22.7 - 39.1	59	27.6	21.7 - 34.5	70	26.1	20.6 - 32.4	100	27.6	23.9 - 31.7	229
e. Required to participate in an assistance, education, or cessation program	23.8	17.5 - 31.5	59	18.7	13.3 - 25.8	70	26.5	21.0 - 32.7	99	23.2	19.7 - 27.1	228
f. Referred to legal authorities	24.5	18.6 - 31.6	58	16.5	12.1 - 22.0	70	16.2	11.9 - 21.7	98	18.3	15.5 - 21.6	226
g. Placed in detention	10.9	6.3 - 18.2	58	12.0	7.5 - 18.7	70	9.0	5.8 - 13.7	99	10.5	7.9 - 13.7	227
h. Not allowed to participate in extra-curricular activities or interscholastic sports	5.1	2.4 - 10.6	59	9.2	6.4 - 12.9	70	1.1	0.3 - 4.0	100	4.8	3.4 - 6.6	229
i. Given in-school suspension	12.5	8.1 - 18.8	58	7.6	4.2 - 13.4	69	10.2	7.1 - 14.5	99	9.9	7.7 - 12.7	226
j. Suspended from school	30.4	23.8 - 37.9	57	15.6	10.8 - 22.0	70	20.7	16.1 - 26.2	100	21.3	18.2 - 24.8	227
k. Expelled from school	30.8	23.1 - 39.7	59	28.6	22.4 - 35.7	70	32.4	26.6 - 38.7	100	30.7	26.9 - 34.8	229
l. Reassigned to an alternative school	19.0	13.1 - 26.6	59	20.9	15.7 - 27.2	70	24.9	19.4 - 31.4	100	22.1	18.7 - 25.9	229

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	3.3	1.3 - 8.0	59	0.0	†	70	0.0	†	100	0.8	0.3 - 2.0	229
b. Referred to a school counselor	56.9	48.7 - 64.8	59	37.3	30.2 - 45.0	70	49.2	43.0 - 55.3	99	47.1	43.0 - 51.3	228
c. Referred to a school administrator	1.5	0.4 - 5.5	59	1.2	0.3 - 4.3	70	0.9	0.3 - 3.4	100	1.2	0.6 - 2.5	229
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	35.4	27.9 - 43.6	59	36.2	28.9 - 44.3	70	32.0	26.0 - 38.7	100	34.2	30.2 - 38.6	229
e. Required to participate in an assistance, education, or cessation program	13.5	8.4 - 21.0	59	22.1	16.4 - 29.0	70	23.1	18.0 - 29.2	99	20.4	17.1 - 24.1	228
f. Referred to legal authorities	41.2	32.5 - 50.5	58	44.8	37.7 - 52.1	70	49.5	42.9 - 56.1	98	45.9	41.6 - 50.2	226
g. Placed in detention	34.4	27.0 - 42.7	58	38.6	31.3 - 46.5	70	39.1	33.1 - 45.4	99	37.8	33.8 - 42.0	227
h. Not allowed to participate in extra-curricular activities or interscholastic sports	10.3	6.3 - 16.4	59	27.1	21.1 - 34.2	70	15.2	11.1 - 20.5	100	18.0	15.0 - 21.4	229
i. Given in-school suspension	49.7	40.1 - 59.5	58	49.8	42.3 - 57.3	69	48.9	42.6 - 55.1	99	49.4	45.0 - 53.8	226
j. Suspended from school	40.1	32.4 - 48.3	57	49.4	42.8 - 55.9	70	38.7	32.1 - 45.6	100	42.6	38.6 - 46.7	227
k. Expelled from school	3.4	1.4 - 8.4	59	17.7	12.8 - 23.9	70	10.2	7.0 - 14.5	100	11.0	8.7 - 13.8	229
l. Reassigned to an alternative school	3.4	1.4 - 8.4	59	11.4	7.1 - 17.7	70	3.3	1.6 - 6.9	100	6.0	4.2 - 8.6	229

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	96.7	92.0 - 98.7	59	100.0	†	70	100.0	†	100	99.2	98.0 - 99.7	229
b. Referred to a school counselor	17.4	12.5 - 23.8	59	47.3	40.2 - 54.5	70	24.7	19.8 - 30.4	99	30.4	26.9 - 34.1	228
c. Referred to a school administrator	98.5	94.5 - 99.6	59	98.8	95.7 - 99.7	70	99.1	96.6 - 99.7	100	98.8	97.5 - 99.4	229
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	14.0	9.4 - 20.4	59	18.8	13.8 - 25.2	70	22.8	17.6 - 29.0	100	19.3	16.2 - 22.8	229
e. Required to participate in an assistance, education, or cessation program	6.8	3.5 - 12.9	59	4.2	2.0 - 8.9	70	8.8	5.7 - 13.5	99	6.8	4.9 - 9.4	228
f. Referred to legal authorities	27.3	19.7 - 36.5	58	25.9	19.9 - 33.0	70	16.2	11.8 - 21.7	98	22.2	18.8 - 26.1	226
g. Placed in detention	43.0	34.8 - 51.5	58	35.5	28.7 - 42.8	70	31.8	26.3 - 37.9	99	35.8	31.9 - 39.9	227
h. Not allowed to participate in extra-curricular activities or interscholastic sports	82.9	76.2 - 88.0	59	59.5	52.3 - 66.2	70	82.7	77.1 - 87.2	100	75.0	71.4 - 78.4	229
i. Given in-school suspension	29.6	21.6 - 39.0	58	38.5	31.4 - 46.2	69	29.1	23.3 - 35.7	99	32.3	28.3 - 36.7	226
j. Suspended from school	18.7	13.0 - 26.3	57	21.4	16.5 - 27.4	70	25.0	20.0 - 30.6	100	22.3	19.2 - 25.8	227
k. Expelled from school	0.0	†	59	0.0	†	70	2.2	0.9 - 5.5	100	0.9	0.4 - 2.3	229
l. Reassigned to an alternative school	0.0	†	59	0.0	†	70	0.0	†	100	0.0	†	229

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
87.6	80.0 - 92.5	56	74.8	67.3 - 81.1	70	74.4	67.9 - 80.0	99	77.7	73.7 - 81.3	225

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Faculty and staff	8.4	4.6 - 14.7	58	5.5	2.8 - 10.4	70	7.8	5.2 - 11.6	100	7.2	5.3 - 9.6	228
b. Students	3.1	1.2 - 7.7	58	6.0	3.1 - 11.3	67	8.6	5.8 - 12.6	99	6.4	4.6 - 8.8	224

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Faculty and staff	17.1	11.1 - 25.3	58	15.1	10.0 - 22.0	70	11.1	8.1 - 15.0	100	13.9	11.1 - 17.2	228
b. Students	13.6	8.5 - 21.1	58	9.0	5.2 - 15.1	67	15.1	10.9 - 20.6	99	12.8	10.0 - 16.1	224

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	13.3	8.8 - 19.8	59	4.5	2.1 - 9.3	70	3.0	1.4 - 6.4	100	6.1	4.4 - 8.4	229
b. Never	1.5	0.4 - 5.5	59	1.6	0.4 - 5.8	70	0.0	†	100	0.9	0.4 - 2.3	229
c. Rarely	10.1	5.8 - 16.9	59	19.4	14.9 - 25.0	70	14.5	10.5 - 19.6	100	15.0	12.4 - 18.1	229
d. Sometimes	54.4	44.9 - 63.5	59	58.6	51.2 - 65.7	70	61.8	55.8 - 67.4	100	58.9	54.7 - 63.0	229
e. Always or almost always	20.7	14.7 - 28.2	59	15.8	11.0 - 22.4	70	20.7	16.6 - 25.5	100	19.1	16.1 - 22.4	229

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
74.2	66.1 - 80.9	59	57.0	49.2 - 64.4	70	72.2	65.8 - 77.9	100	67.7	63.5 - 71.6	229

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Chocolate candy	37.1	30.1 - 44.7	59	18.3	13.3 - 24.7	70	20.9	16.1 - 26.7	100	24.1	20.8 - 27.7	229
b. Other kinds of candy	43.8	36.1 - 51.8	59	22.4	16.9 - 29.0	70	21.0	15.8 - 27.3	100	27.1	23.6 - 30.9	229
c. Salty snacks that are not low in fat (e.g., regular potato chips)	41.9	33.6 - 50.6	59	23.9	17.4 - 31.9	70	20.0	15.0 - 26.1	100	26.7	22.9 - 30.9	229
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	40.2	32.6 - 48.2	59	24.7	18.9 - 31.7	70	25.1	19.4 - 31.8	100	28.7	25.0 - 32.8	229
e. Ice cream or frozen yogurt that is not low in fat	18.5	12.5 - 26.3	59	4.1	1.9 - 8.5	70	7.8	4.9 - 12.2	100	9.2	7.0 - 12.0	229
f. 2% or whole milk (plain or flavored)	38.6	30.4 - 47.6	59	15.8	10.9 - 22.3	70	17.8	13.2 - 23.5	100	22.3	18.9 - 26.1	229
g. Water ices or frozen slushes that do not contain juice	20.3	14.5 - 27.7	59	2.6	1.0 - 6.5	70	10.2	6.7 - 15.2	100	10.2	7.9 - 13.0	229
h. Soda pop or fruit drinks that are not 100% juice	57.1	49.7 - 64.2	59	27.3	20.9 - 34.8	70	50.0	43.5 - 56.5	100	44.2	40.2 - 48.3	229
i. Sports drinks (e.g., Gatorade)	69.2	61.1 - 76.3	59	41.8	33.8 - 50.2	70	68.3	61.7 - 74.3	100	59.7	55.4 - 63.9	229
j. Foods or beverages containing caffeine	57.3	48.6 - 65.5	59	28.7	22.0 - 36.5	70	46.1	39.7 - 52.6	99	43.1	38.9 - 47.3	228
k. Fruits (not fruit juice)	38.8	32.1 - 46.0	59	13.8	9.1 - 20.4	69	14.2	10.2 - 19.6	100	20.2	17.2 - 23.6	228
l. Non-fried vegetables (not vegetable juice)	31.0	23.7 - 39.3	58	9.7	5.9 - 15.7	69	4.1	2.1 - 7.7	100	12.5	10.0 - 15.6	227

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	12.0	7.2 - 19.2	58	11.6	7.2 - 18.0	69	6.2	3.6 - 10.4	100	9.4	7.0 - 12.4	227
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	46.2	38.0 - 54.6	58	39.3	31.4 - 47.9	68	40.7	33.7 - 48.1	100	41.6	37.1 - 46.3	226
c. Provided information to students or families on the nutrition and caloric content of foods available	47.4	39.8 - 55.0	58	42.8	36.1 - 49.8	69	34.4	27.8 - 41.6	100	40.4	36.3 - 44.6	227
d. Conducted taste tests to determine food preferences for nutritious items	24.7	18.5 - 32.3	57	18.0	12.7 - 24.9	69	13.1	9.4 - 18.1	100	17.6	14.6 - 21.0	226
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	19.4	14.0 - 26.3	57	20.0	14.2 - 27.4	68	13.5	9.3 - 19.1	100	17.1	14.0 - 20.7	225
f. Served locally or regionally grown foods in the cafeteria or classrooms	42.9	34.4 - 51.9	58	36.3	28.9 - 44.5	69	35.1	28.9 - 41.8	100	37.4	33.1 - 41.9	227
g. Planted a school food or vegetable garden	9.1	5.1 - 15.9	55	16.6	11.5 - 23.2	67	9.5	6.1 - 14.6	97	11.8	9.2 - 15.0	219
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	76.0	67.4 - 83.0	58	58.8	50.4 - 66.7	69	56.6	50.1 - 63.0	100	62.1	57.7 - 66.3	227

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	69.7	61.8 - 76.5	58	62.9	55.2 - 69.9	69	51.5	45.8 - 57.1	100	59.7	55.8 - 63.5	227
j. Offered a self-serve salad bar to students	82.1	75.6 - 87.2	58	61.3	54.4 - 67.8	69	79.5	74.5 - 83.7	100	74.1	70.7 - 77.3	227
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	34.5	27.1 - 42.8	58	23.6	17.4 - 31.3	69	16.0	11.8 - 21.4	100	23.1	19.7 - 26.9	227

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
3.4	1.4 - 8.4	59	6.1	3.2 - 11.6	65	1.0	0.3 - 3.7	99	3.3	2.0 - 5.3	223

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In the school building	29.2	21.8 - 37.9	58	60.9	52.9 - 68.4	71	49.6	44.0 - 55.2	97	48.4	44.4 - 52.5	226
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	26.1	19.9 - 33.4	58	55.5	47.3 - 63.5	71	45.3	39.7 - 51.1	98	44.1	40.1 - 48.1	227
c. On school buses or other vehicles used to transport students	49.9	41.0 - 58.8	58	71.2	63.0 - 78.2	71	59.4	53.9 - 64.7	98	61.1	56.9 - 65.1	227
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	36.0	28.3 - 44.5	58	68.1	60.3 - 75.0	71	50.1	44.1 - 56.0	97	52.8	48.7 - 56.8	226

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Yes, in all locations	72.5	64.9 - 79.0	58	38.6	31.6 - 46.1	71	58.9	52.1 - 65.4	98	55.4	51.2 - 59.4	227
b. Yes, in certain locations	25.7	19.4 - 33.3	58	39.6	31.6 - 48.1	71	32.9	27.1 - 39.3	98	33.4	29.4 - 37.7	227
c. No	1.7	0.5 - 6.1	58	21.8	15.9 - 29.1	71	8.2	5.4 - 12.2	98	11.2	8.8 - 14.2	227

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that offer a free source of drinking water in the cafeteria during meal times.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.5	91.5 - 98.6	58	93.4	91.3 - 95.0	71	98.0	95.1 - 99.2	98	96.1	94.6 - 97.2	227

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
52.6	44.7 - 60.3	58	40.0	33.0 - 47.5	71	17.4	13.4 - 22.1	98	33.7	30.2 - 37.4	227

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school has no students with known asthma	2.0	0.5 - 7.0	56	4.8	2.3 - 10.0	70	1.1	0.3 - 4.1	98	2.6	1.4 - 4.6	224
b. All students with known asthma have an asthma action plan on file	78.4	70.3 - 84.8	56	64.7	58.0 - 70.8	70	68.7	62.2 - 74.6	98	69.7	65.7 - 73.4	224
c. Most students with known asthma have an asthma action plan on file	17.6	12.2 - 24.9	56	23.2	18.3 - 29.0	70	22.3	17.6 - 27.9	98	21.5	18.5 - 24.9	224
d. Some students with known asthma have an asthma action plan on file	2.0	0.5 - 7.0	56	7.3	4.0 - 12.8	70	5.9	3.4 - 9.9	98	5.4	3.7 - 7.9	224
e. No students with known asthma have an asthma action plan on file	0.0	†	56	0.0	†	70	2.0	0.8 - 4.9	98	0.8	0.3 - 2.1	224

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use each of the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school does not identify students with poorly controlled asthma	14.6	10.4 - 20.1	55	16.2	11.3 - 22.6	68	24.1	18.8 - 30.3	92	19.0	16.0 - 22.5	215
b. Frequent absences from school	36.6	29.5 - 44.2	55	37.0	31.1 - 43.5	68	26.7	21.1 - 33.3	92	32.7	29.0 - 36.6	215
c. Frequent visits to the school health office due to asthma	74.1	66.7 - 80.3	55	62.7	55.2 - 69.6	68	53.5	46.1 - 60.8	92	61.7	57.4 - 65.9	215
d. Frequent asthma symptoms at school	71.3	63.3 - 78.1	55	66.8	59.4 - 73.5	68	61.5	55.4 - 67.2	92	65.7	61.7 - 69.5	215
e. Frequent non-participation in physical education class due to asthma	50.6	42.1 - 59.2	55	52.9	45.7 - 59.9	68	45.3	39.0 - 51.8	92	49.2	45.0 - 53.4	215
f. Students sent home early due to asthma	37.9	29.5 - 47.0	55	43.5	35.7 - 51.7	68	25.5	20.0 - 32.0	92	34.8	30.6 - 39.2	215
g. Calls from school to 911, or other local emergency numbers, due to asthma	22.3	16.3 - 29.7	55	30.8	24.5 - 37.9	68	18.0	13.3 - 24.1	92	23.5	20.1 - 27.3	215

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Providing referrals to primary health care clinicians or child health insurance programs	71.2	64.3 - 77.3	56	73.5	66.2 - 79.7	68	55.7	49.5 - 61.7	97	65.5	61.6 - 69.2	221
b. Ensuring an appropriate written asthma action plan is obtained	85.8	79.4 - 90.4	56	90.6	84.2 - 94.5	68	86.7	81.1 - 90.8	98	87.8	84.5 - 90.4	222
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	87.4	81.4 - 91.7	56	95.3	90.3 - 97.8	67	82.3	76.4 - 87.0	97	87.9	84.8 - 90.4	220
d. Offering asthma education for students with asthma	60.3	52.0 - 68.0	56	70.4	62.7 - 77.2	68	47.1	42.0 - 52.4	97	58.2	54.3 - 61.9	221
e. Minimizing asthma triggers in the school environment	77.0	70.0 - 82.7	56	86.5	80.7 - 90.8	68	68.6	62.4 - 74.2	97	76.6	73.1 - 79.8	221
f. Addressing social and emotional issues related to asthma	53.6	44.9 - 62.1	56	61.9	55.3 - 68.0	67	45.3	38.7 - 52.1	97	52.8	48.7 - 56.9	220
g. Providing additional psychosocial counseling or support services as needed	45.5	37.2 - 54.1	56	53.4	45.6 - 61.1	67	33.1	26.9 - 40.0	96	42.9	38.7 - 47.3	219
h. Ensuring access to safe, enjoyable physical education and activity opportunities	91.0	86.4 - 94.2	56	96.8	92.1 - 98.7	66	85.4	79.6 - 89.8	98	90.5	87.6 - 92.8	220
i. Ensuring access to preventive medications before physical activity	91.0	86.4 - 94.2	56	94.0	88.6 - 96.9	68	83.1	77.2 - 87.7	97	88.7	85.7 - 91.1	221

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. More than once per year	3.5	3.4 - 3.6	57	10.0	7.1 - 13.9	71	1.9	0.8 - 4.7	98	5.0	3.8 - 6.6	226
b. Once per year	58.1	49.5 - 66.2	57	55.1	47.8 - 62.3	71	67.3	60.9 - 73.1	98	60.9	56.7 - 65.0	226
c. Less than once per year	17.7	12.1 - 25.0	57	12.3	8.4 - 17.6	71	12.6	9.3 - 16.7	98	13.7	11.2 - 16.6	226
d. No such requirement	20.7	15.0 - 27.9	57	22.6	17.0 - 29.4	71	18.3	13.6 - 24.1	98	20.3	17.1 - 24.0	226

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
76.9	68.5 - 83.6	58	69.1	61.9 - 75.4	70	66.5	60.0 - 72.4	98	69.9	65.8 - 73.7	226

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	93.4	86.3 - 97.0	45	92.2	85.5 - 95.9	49	96.6	91.7 - 98.7	61	94.2	91.1 - 96.2	155
b. Parents and families	95.8	89.7 - 98.4	44	93.9	87.5 - 97.1	49	95.0	89.9 - 97.6	61	94.9	91.9 - 96.7	154

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

N = Unweighted number of observations

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. No single individual is responsible	11.7	7.2 - 18.6	41	17.5	10.7 - 27.4	44	26.1	19.0 - 34.8	61	19.4	15.3 - 24.3	146
b. Principal	4.7	1.8 - 11.6	41	5.3	2.2 - 12.3	44	19.5	13.5 - 27.3	61	10.9	7.9 - 14.8	146
c. Assistant principal	2.5	0.7 - 8.7	41	0.0	†	44	0.0	†	61	0.7	0.2 - 2.4	146
d. School nurse	73.3	64.8 - 80.4	41	67.4	57.1 - 76.3	44	46.2	37.5 - 55.2	61	60.4	55.0 - 65.6	146
e. Other school faculty or staff member	7.7	3.8 - 15.2	41	9.8	5.3 - 17.7	44	8.1	4.4 - 14.4	61	8.6	5.9 - 12.3	146

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## NEBRASKA

### 2012 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV counseling and testing	3.3	1.3 - 8.1	58	0.0	†	68	1.1	0.3 - 4.1	98	1.3	0.6 - 2.7	224
b. STD testing and treatment	1.7	0.5 - 6.2	58	3.2	1.2 - 7.8	68	0.0	†	98	1.5	0.7 - 3.1	224
c. Pregnancy testing	3.3	1.3 - 8.1	58	1.7	0.5 - 6.0	68	0.0	†	98	1.4	0.6 - 2.9	224
d. Provision of condoms	0.0	†	58	1.7	0.5 - 6.0	68	0.0	†	98	0.6	0.1 - 2.0	224
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.7	0.5 - 6.2	58	0.0	†	68	0.0	†	98	0.4	0.1 - 1.6	224
f. Prenatal care	5.2	2.4 - 10.8	58	0.0	†	68	0.9	0.3 - 3.4	98	1.7	0.9 - 3.2	224
g. Human papillomavirus (HPV) vaccine administration	1.7	0.5 - 6.2	58	1.5	0.4 - 5.3	68	1.1	0.3 - 4.1	98	1.4	0.7 - 2.9	224

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. HIV counseling and testing	52.1	43.4 - 60.6	57	39.7	33.3 - 46.6	67	29.6	23.8 - 36.2	97	38.5	34.6 - 42.6	221
b. STD testing and treatment	56.5	47.9 - 64.8	58	42.2	36.2 - 48.5	68	32.9	26.9 - 39.5	97	41.9	38.0 - 45.9	223
c. Pregnancy testing	59.8	51.1 - 68.0	58	45.2	39.3 - 51.2	68	37.0	30.9 - 43.5	97	45.4	41.5 - 49.4	223
d. Provision of condoms	37.2	28.8 - 46.6	58	22.6	17.5 - 28.8	68	18.5	13.5 - 24.9	97	24.6	21.0 - 28.5	223
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	35.3	27.2 - 44.4	58	24.1	18.7 - 30.6	68	19.7	14.8 - 25.7	97	25.1	21.5 - 29.0	223
f. Prenatal care	54.8	45.9 - 63.4	58	39.1	33.2 - 45.3	68	33.1	27.2 - 39.5	97	40.5	36.6 - 44.5	223
g. Human papillomavirus (HPV) vaccine administration	40.6	31.7 - 50.1	58	34.0	27.5 - 41.1	68	20.5	15.2 - 27.1	97	30.0	26.1 - 34.3	223

**NEBRASKA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

50. Percentage of schools in which students' families helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
6.7	3.4 - 12.5	59	1.2	0.3 - 4.4	68	2.1	0.8 - 5.1	99	3.0	1.8 - 4.8	226

# NEBRASKA

## 2012 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which community members helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
13.3	8.9 - 19.5	59	5.4	2.8 - 10.3	68	2.1	0.8 - 5.1	99	6.0	4.3 - 8.2	226