

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	37.7	29.8 - 46.2	62	47.4	39.6 - 55.3	75	36.8	30.7 - 43.4	94	40.6	36.4 - 44.9	231
b. Nutrition	38.6	30.8 - 47.2	60	48.7	41.4 - 56.0	75	36.8	31.0 - 43.1	94	41.3	37.3 - 45.4	229
c. Tobacco-use prevention	35.8	28.1 - 44.2	60	36.6	29.0 - 44.8	74	32.1	26.2 - 38.7	94	34.5	30.4 - 38.9	228
d. Asthma	25.2	18.3 - 33.6	60	34.4	27.7 - 41.8	74	26.9	21.7 - 32.9	94	29.0	25.3 - 33.0	228
e. Injury and violence prevention	30.9	23.4 - 39.5	60	37.5	30.5 - 45.1	75	24.9	19.4 - 31.4	94	30.6	26.7 - 34.8	229
f. HIV, STD, and teen pregnancy prevention	27.0	19.9 - 35.5	60	32.8	25.5 - 40.9	74	26.2	20.5 - 32.8	93	28.6	24.6 - 33.0	227

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	26.9	20.0 - 35.1	56	43.8	36.4 - 51.5	72	36.0	29.8 - 42.5	90	36.5	32.5 - 40.8	218
b. Physical education	25.4	18.7 - 33.4	56	42.0	34.1 - 50.4	72	37.2	30.9 - 43.9	90	36.1	31.9 - 40.5	218
c. Physical activity	31.0	24.0 - 38.9	56	31.7	25.5 - 38.7	71	28.1	22.3 - 34.8	90	30.0	26.2 - 34.1	217
d. School meal programs	25.8	18.6 - 34.5	56	30.2	23.4 - 37.9	71	31.6	25.8 - 38.1	89	29.8	25.9 - 34.0	216
e. Foods and beverages available at school outside the school meal programs	22.0	15.0 - 30.9	56	30.3	23.8 - 37.7	71	22.3	17.2 - 28.5	88	25.0	21.3 - 29.0	215
f. Health services	19.6	13.6 - 27.5	56	25.7	19.3 - 33.3	71	29.5	23.8 - 35.8	89	25.9	22.2 - 29.9	216
g. Mental health and social services	23.3	16.7 - 31.7	56	29.0	22.0 - 37.2	70	27.5	21.6 - 34.4	88	27.0	23.1 - 31.4	214
h. Healthy and safe school environment	46.6	38.1 - 55.4	56	53.0	45.3 - 60.5	71	46.1	39.0 - 53.3	89	48.6	44.1 - 53.1	216
i. Family and community involvement	44.7	36.9 - 52.8	56	49.8	41.8 - 57.9	71	42.5	36.0 - 49.3	88	45.6	41.2 - 50.0	215
j. Faculty and staff health promotion	32.4	24.7 - 41.1	56	36.1	28.8 - 44.1	71	33.4	27.2 - 40.3	88	34.1	29.9 - 38.5	215

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.3	52.6 - 65.8	62	60.4	53.1 - 67.3	73	44.4	38.4 - 50.4	92	53.4	49.6 - 57.3	227

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.6	88.2 - 96.7	63	96.0	91.9 - 98.1	77	90.8	86.2 - 94.1	98	93.3	90.8 - 95.1	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
55.7	47.2 - 63.9	61	69.2	62.2 - 75.4	77	60.0	53.5 - 66.2	98	62.1	58.0 - 66.1	236

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	91.4	82.6 - 95.9	34	90.9	84.3 - 94.9	53	96.5	91.5 - 98.6	58	93.3	90.0 - 95.5	145
b. Health education teachers	85.1	77.7 - 90.4	34	92.6	86.6 - 96.1	53	83.2	76.5 - 88.2	58	87.2	83.6 - 90.1	145
c. Physical education teachers	81.4	70.9 - 88.8	33	88.3	80.9 - 93.1	52	86.5	79.6 - 91.2	58	86.1	81.9 - 89.5	143
d. Other classroom teachers	69.0	59.2 - 77.3	32	77.5	68.8 - 84.3	51	69.5	61.5 - 76.5	58	72.4	67.5 - 76.8	141
e. Mental health or social services staff (e.g., school counselors)	72.3	61.3 - 81.2	32	62.1	52.7 - 70.6	52	57.6	48.7 - 66.1	57	62.3	56.8 - 67.6	141
f. Nutrition or food service staff	57.2	47.8 - 66.0	32	63.1	54.7 - 70.8	52	74.5	68.2 - 79.9	58	66.7	62.1 - 70.9	142
g. Health services staff (e.g., school nurse)	82.8	73.2 - 89.5	32	76.9	68.8 - 83.4	52	67.9	60.2 - 74.7	57	74.4	69.7 - 78.5	141
h. Maintenance and transportation staff	31.9	22.4 - 43.1	32	13.3	8.3 - 20.6	52	27.7	21.2 - 35.2	57	23.0	19.0 - 27.6	141
i. Technology staff	23.4	14.5 - 35.5	31	19.4	13.4 - 27.3	52	24.2	18.0 - 31.7	55	22.2	18.1 - 26.9	138
j. Library/media center staff	22.6	13.8 - 34.7	32	21.2	14.8 - 29.5	52	20.3	15.0 - 27.0	56	21.1	17.1 - 25.8	140
k. Student body	31.9	22.6 - 42.8	32	31.5	23.5 - 40.6	52	49.1	41.1 - 57.2	57	38.8	33.8 - 44.1	141
l. Parents or families of students	41.0	30.7 - 52.2	32	42.5	34.3 - 51.1	52	50.1	42.0 - 58.2	58	45.3	40.2 - 50.6	142

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	46.4	35.9 - 57.2	32	43.8	37.0 - 50.9	52	42.7	35.4 - 50.2	56	43.9	39.3 - 48.6	140
n. Local health departments, agencies, or organizations	36.0	25.4 - 48.2	31	33.4	25.9 - 41.8	51	37.5	29.6 - 46.3	56	35.6	30.6 - 41.0	138
o. Faith-based organizations	12.8	6.9 - 22.6	31	7.7	4.1 - 14.2	52	10.6	6.5 - 16.8	55	9.9	7.1 - 13.6	138
p. Businesses	26.4	18.3 - 36.5	31	11.8	7.1 - 18.9	51	14.1	9.3 - 20.9	56	15.7	12.3 - 19.8	138
q. Local government agencies	19.7	12.2 - 30.3	31	16.2	10.3 - 24.5	51	22.8	16.6 - 30.5	56	19.6	15.6 - 24.4	138

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	51.1	39.3 - 62.9	34	51.7	42.6 - 60.7	52	63.3	54.2 - 71.6	58	56.4	50.7 - 61.9	144
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	62.2	52.0 - 71.5	34	68.5	60.0 - 75.9	53	67.2	59.0 - 74.4	58	66.6	61.6 - 71.3	145
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	42.9	32.8 - 53.7	33	40.4	31.7 - 49.7	53	49.5	40.8 - 58.3	56	44.6	39.2 - 50.1	142
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.3	74.0 - 89.8	34	70.9	61.4 - 78.9	52	75.0	66.6 - 82.0	58	75.3	70.1 - 79.8	144
e. Reviewed health-related curricula or instructional materials	70.9	59.2 - 80.4	34	64.3	54.4 - 73.2	53	64.6	55.9 - 72.5	58	65.8	60.2 - 71.1	145
f. Assessed the availability of physical activity opportunities for students	67.8	56.3 - 77.5	34	70.9	63.1 - 77.7	52	79.1	70.7 - 85.6	58	73.6	68.6 - 78.1	144

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.5	62.7 - 77.3	55	44.4	37.5 - 51.4	74	30.8	25.0 - 37.3	93	44.5	40.5 - 48.5	222

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	90.9	85.0 - 94.7	63	90.0	84.5 - 93.7	77	96.1	92.7 - 97.9	97	92.8	90.3 - 94.7	237
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	66.9	58.7 - 74.3	63	57.7	50.9 - 64.3	77	50.9	44.3 - 57.5	96	57.1	53.0 - 61.1	236

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	69.3	60.9 - 76.5	62	60.8	53.0 - 68.1	73	63.9	58.3 - 69.1	95	64.2	60.2 - 68.0	230
b. Procedures to protect HIV-infected students and staff from discrimination	76.2	67.9 - 82.8	62	67.8	60.6 - 74.2	74	73.3	66.9 - 78.8	95	72.2	68.1 - 75.9	231
c. Maintaining confidentiality of HIV-infected students and staff	79.2	70.8 - 85.6	62	66.2	58.5 - 73.2	74	76.8	70.9 - 81.7	95	73.8	69.9 - 77.5	231

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
31.1	25.2 - 37.7	62	7.1	4.0 - 12.4	73	8.1	5.1 - 12.5	96	13.4	11.0 - 16.2	231

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	58.9	51.4 - 66.1	62	43.1	35.9 - 50.5	75	43.6	37.3 - 50.2	97	47.1	43.0 - 51.2	234
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	86.1	80.0 - 90.6	63	88.2	83.5 - 91.7	76	81.8	76.4 - 86.2	97	85.0	82.0 - 87.6	236
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	60.7	51.6 - 69.1	63	57.9	51.1 - 64.4	76	53.4	46.9 - 59.8	97	56.7	52.5 - 60.7	236
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	48.2	40.1 - 56.3	63	34.5	27.8 - 41.9	76	39.9	33.8 - 46.4	96	40.1	36.1 - 44.3	235
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	49.0	41.1 - 57.0	62	36.3	29.7 - 43.6	75	47.2	40.9 - 53.6	96	44.0	40.0 - 48.1	233

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.3	66.5 - 79.2	63	89.6	83.9 - 93.4	76	82.8	77.4 - 87.1	97	82.8	79.5 - 85.6	236

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.6	85.4 - 95.3	63	92.0	86.9 - 95.3	76	89.0	84.0 - 92.5	98	90.6	87.8 - 92.9	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.5	87.0 - 95.8	62	97.7	94.5 - 99.1	76	88.4	83.2 - 92.2	98	92.5	89.9 - 94.5	236

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	100.0	†	61	-	-	0	100.0	†	61
b. Seventh grade	§	§	§	100.0	†	74	98.1	95.4 - 99.2	98	98.9	97.4 - 99.6	172
c. Eighth grade	§	§	§	100.0	†	74	97.1	94.1 - 98.6	98	98.4	96.6 - 99.2	172
d. Ninth grade	83.3	77.2 - 88.0	62	-	-	0	92.5	87.9 - 95.4	98	89.2	85.8 - 91.9	160
e. Tenth grade	51.9	43.5 - 60.1	62	§	§	§	41.0	34.4 - 47.9	98	44.9	39.7 - 50.2	160
f. Eleventh grade	37.5	30.8 - 44.7	62	§	§	§	20.8	16.0 - 26.5	98	26.7	22.8 - 31.1	160
g. Twelfth grade	36.1	29.7 - 43.0	61	§	§	§	23.8	18.9 - 29.5	98	28.1	24.2 - 32.5	159

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.9	74.4 - 87.5	59	75.9	69.1 - 81.6	72	73.1	67.2 - 78.3	89	76.2	72.5 - 79.5	220

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	94.6	91.7 - 96.6	63	94.8	90.3 - 97.3	76	84.8	79.1 - 89.1	98	90.5	87.7 - 92.7	237
b. A chart describing the annual scope and sequence of instruction for physical education	72.8	66.0 - 78.7	63	79.7	74.1 - 84.4	75	56.2	49.8 - 62.4	96	68.1	64.5 - 71.5	234
c. Plans for how to assess student performance in physical education	77.5	70.5 - 83.2	63	81.8	76.1 - 86.3	74	64.5	57.6 - 70.8	96	73.4	69.6 - 76.9	233
d. A written physical education curriculum	88.3	81.9 - 92.6	63	78.9	72.5 - 84.1	75	80.8	74.8 - 85.6	96	82.0	78.5 - 85.0	234
e. Resources for fitness testing	97.3	93.5 - 98.9	63	96.1	92.1 - 98.2	74	88.4	83.7 - 91.9	98	93.1	90.7 - 94.9	235
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	77.8	71.6 - 83.1	63	64.3	57.3 - 70.7	75	49.5	43.4 - 55.7	97	61.3	57.5 - 65.0	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
25.2	19.4 - 32.0	63	65.2	57.7 - 72.0	77	41.5	35.7 - 47.6	97	45.6	41.8 - 49.4	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
56.5	49.4 - 63.3	62	61.6	55.3 - 67.6	77	27.5	21.7 - 34.2	98	45.9	42.1 - 49.7	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.7	88.2 - 96.7	63	86.8	81.4 - 90.8	77	95.6	91.8 - 97.7	97	92.2	89.7 - 94.1	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.9	63.2 - 77.5	63	44.0	36.7 - 51.6	76	66.9	61.2 - 72.1	98	60.2	56.3 - 64.0	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
52.0	45.1 - 58.7	63	55.8	48.2 - 63.2	77	52.0	45.9 - 58.0	98	53.3	49.3 - 57.2	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
60.2	52.7 - 67.2	62	61.2	53.7 - 68.2	76	54.3	48.0 - 60.4	98	58.0	53.9 - 62.0	236

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	62	100.0	†	76	99.0	96.6 - 99.7	98	99.6	98.5 - 99.9	236

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	98.6	95.1 - 99.6	60	98.7	95.4 - 99.6	75	99.0	96.4 - 99.7	91	98.8	97.5 - 99.4	226
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	98.6	95.1 - 99.6	60	97.2	93.4 - 98.9	75	99.0	96.4 - 99.7	91	98.3	96.8 - 99.1	226
c. Cigars	95.5	90.7 - 97.8	60	94.9	92.1 - 96.7	75	94.3	90.1 - 96.8	91	94.8	92.7 - 96.3	226
d. Pipes	94.1	88.9 - 96.9	60	94.9	92.1 - 96.7	75	94.3	90.1 - 96.8	91	94.4	92.3 - 96.0	226

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	96.6	91.8 - 98.6	57	97.4	93.6 - 98.9	75	91.0	86.1 - 94.3	89	94.6	92.2 - 96.2	221
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	96.6	91.8 - 98.6	57	95.9	91.7 - 98.0	75	90.0	84.8 - 93.5	89	93.6	91.1 - 95.5	221
c. Cigars	93.3	87.6 - 96.5	57	93.5	90.1 - 95.8	75	90.0	84.8 - 93.5	89	92.0	89.4 - 94.0	221
d. Pipes	91.8	85.8 - 95.5	57	93.5	90.1 - 95.8	75	88.7	83.3 - 92.5	89	91.1	88.5 - 93.3	221

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.0	92.9 - 98.8	57	97.4	93.8 - 99.0	73	88.7	83.3 - 92.5	89	93.7	91.2 - 95.5	219
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	90.1	83.5 - 94.2	57	94.5	89.9 - 97.1	73	82.2	76.3 - 86.9	89	88.3	85.2 - 90.8	219
c. Cigars	93.7	88.3 - 96.7	57	93.5	91.6 - 95.1	73	87.7	82.1 - 91.7	89	91.1	88.6 - 93.2	219
d. Pipes	92.2	87.9 - 95.1	57	93.5	91.6 - 95.1	73	87.7	82.1 - 91.7	89	90.8	88.3 - 92.8	219

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.9	92.4 - 98.7	60	98.7	95.4 - 99.6	75	97.8	94.6 - 99.1	91	97.9	96.2 - 98.8	226
b. During non-school hours	90.6	85.4 - 94.0	60	90.7	85.1 - 94.3	75	83.6	78.1 - 87.9	90	87.7	84.7 - 90.2	225

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	90.5	85.2 - 94.0	60	97.4	93.6 - 98.9	75	91.5	87.6 - 94.3	91	93.3	91.1 - 95.0	226
b. During non-school hours	74.3	66.3 - 80.9	60	75.0	67.5 - 81.3	74	59.3	53.0 - 65.3	90	68.3	64.3 - 72.2	224

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	91.0	86.1 - 94.3	61	92.0	86.8 - 95.3	74	84.6	78.6 - 89.2	91	88.7	85.6 - 91.2	226
b. During non-school hours	74.7	66.8 - 81.2	60	73.6	66.3 - 79.7	73	59.6	53.2 - 65.7	91	68.0	64.0 - 71.8	224

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	60	100.0	†	75	97.8	94.6 - 99.1	91	99.1	97.7 - 99.6	226
b. Outside on school grounds, including parking lots and playing fields	100.0	†	60	100.0	†	75	96.5	92.9 - 98.4	91	98.6	97.0 - 99.3	226
c. On school buses or other vehicles used to transport students	100.0	†	60	98.6	95.1 - 99.6	75	97.8	94.6 - 99.1	91	98.6	97.1 - 99.3	226
d. At off-campus, school-sponsored events	95.1	90.0 - 97.7	60	97.2	93.4 - 98.9	74	97.7	94.5 - 99.1	90	96.9	95.0 - 98.1	224

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.2	93.7 - 99.5	59	98.7	95.4 - 99.6	75	96.7	93.2 - 98.4	90	97.7	96.0 - 98.7	224
b. Outside on school grounds, including parking lots and playing fields	95.0	89.8 - 97.6	60	94.7	90.2 - 97.2	75	91.3	86.5 - 94.5	90	93.4	90.8 - 95.2	225
c. On school buses or other vehicles used to transport students	98.2	93.7 - 99.5	59	95.8	91.5 - 98.0	75	96.7	93.2 - 98.4	90	96.7	94.8 - 98.0	224
d. At off-campus, school-sponsored events	84.9	78.0 - 89.9	60	85.5	79.1 - 90.2	75	83.5	77.8 - 87.9	89	84.5	81.1 - 87.4	224

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.2	93.7 - 99.5	59	98.6	95.3 - 99.6	73	95.5	91.5 - 97.6	90	97.2	95.3 - 98.3	222
b. Outside on school grounds, including parking lots and playing fields	91.8	85.8 - 95.4	60	88.2	82.9 - 92.0	73	79.0	72.6 - 84.2	89	85.3	82.0 - 88.1	222
c. On school buses or other vehicles used to transport students	98.2	93.7 - 99.5	59	95.7	91.3 - 97.9	73	95.5	91.5 - 97.6	90	96.2	94.1 - 97.6	222
d. At off-campus, school-sponsored events	65.8	58.3 - 72.6	59	58.6	50.5 - 66.3	73	57.2	50.1 - 64.0	87	59.8	55.4 - 64.1	219

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
43.5	36.0 - 51.3	59	42.2	34.3 - 50.5	73	36.0	30.0 - 42.4	91	39.9	35.8 - 44.2	223

*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.6	62.2 - 77.9	61	74.0	67.5 - 79.6	71	63.2	56.8 - 69.2	97	68.5	64.5 - 72.2	229

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	9.7	5.7 - 15.9	63	9.6	5.9 - 15.3	77	6.9	4.2 - 11.0	98	8.5	6.4 - 11.2	238
b. Students	9.3	5.5 - 15.4	63	6.7	3.7 - 11.6	76	5.8	3.4 - 9.6	98	6.9	5.1 - 9.4	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Faculty and staff	14.7	9.5 - 22.0	63	19.3	13.9 - 26.0	77	8.8	6.0 - 12.8	98	13.8	11.1 - 16.9	238
b. Students	14.7	9.5 - 22.0	63	13.7	9.5 - 19.4	77	8.7	6.3 - 11.8	98	11.8	9.5 - 14.6	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	5.0	2.4 - 10.2	63	1.4	0.4 - 4.9	76	5.1	2.9 - 8.9	96	3.8	2.5 - 5.8	235
b. Never	1.7	0.5 - 5.8	63	4.0	1.9 - 8.1	76	2.1	0.9 - 5.2	96	2.6	1.6 - 4.4	235
c. Rarely	19.8	14.0 - 27.2	63	22.9	17.8 - 28.9	76	21.5	16.8 - 27.0	96	21.5	18.5 - 25.0	235
d. Sometimes	54.4	45.8 - 62.8	63	54.6	47.1 - 61.9	76	47.0	41.1 - 53.1	96	51.4	47.3 - 55.5	235
e. Always or almost always	19.1	14.2 - 25.3	63	17.1	12.1 - 23.7	76	24.2	19.6 - 29.6	96	20.6	17.6 - 24.0	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.7	72.0 - 84.2	63	59.1	52.3 - 65.6	77	84.4	79.1 - 88.6	95	74.4	70.9 - 77.6	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	37.5	29.5 - 46.3	63	30.2	23.9 - 37.4	77	17.6	13.3 - 22.9	94	26.8	23.3 - 30.6	234
b. Other kinds of candy	42.8	35.3 - 50.7	63	31.6	25.1 - 39.0	77	19.8	15.1 - 25.5	94	29.5	25.9 - 33.3	234
c. Salty snacks that are not low in fat (e.g., regular potato chips)	28.5	21.2 - 37.0	63	35.0	28.3 - 42.4	77	23.1	17.7 - 29.5	93	28.5	24.7 - 32.6	233
d. Low sodium or “no added salt” pretzels, crackers, or chips	54.1	47.1 - 61.0	63	41.8	35.0 - 48.9	77	43.1	36.8 - 49.6	93	45.3	41.4 - 49.3	233
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	39.2	31.1 - 47.9	63	28.8	22.3 - 36.3	76	28.8	23.3 - 35.0	94	31.3	27.5 - 35.5	233
f. Ice cream or frozen yogurt that is not low in fat	6.7	3.5 - 12.4	63	17.4	12.1 - 24.4	76	7.0	4.3 - 11.2	93	10.5	8.1 - 13.5	232
g. 2% or whole milk (plain or flavored)	24.5	17.8 - 32.6	63	21.6	15.7 - 29.0	77	28.0	23.2 - 33.3	93	24.9	21.5 - 28.7	233
h. Nonfat or 1% (low-fat) milk (plain)	41.9	33.6 - 50.6	63	29.4	23.1 - 36.5	77	36.9	31.5 - 42.7	94	35.5	31.7 - 39.5	234
i. Water ices or frozen slushes that do not contain juice	12.8	8.6 - 18.5	63	7.7	5.0 - 11.6	76	12.8	8.8 - 18.3	92	11.0	8.8 - 13.9	231
j. Soda pop or fruit drinks that are not 100% juice	55.3	47.5 - 62.8	63	27.8	22.6 - 33.5	77	51.5	44.5 - 58.5	93	44.3	40.4 - 48.2	233
k. Sports drinks (e.g., Gatorade)	67.4	58.7 - 75.0	63	40.7	34.7 - 46.9	77	75.7	69.7 - 80.9	94	61.7	57.9 - 65.3	234

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	6.7	3.5 - 12.4	63	0.0	†	77	4.2	2.2 - 7.8	94	3.4	2.1 - 5.3	234
m. Bottled water	78.7	72.0 - 84.2	63	53.9	46.7 - 61.0	77	77.7	72.5 - 82.1	93	69.8	66.1 - 73.1	233
n. 100% fruit or vegetable juice	57.3	48.9 - 65.3	63	34.6	28.5 - 41.2	77	47.2	40.6 - 54.0	93	45.3	41.3 - 49.4	233
o. Foods or beverages containing caffeine	53.1	45.7 - 60.4	62	24.2	20.1 - 28.8	77	44.2	38.1 - 50.5	93	39.5	36.0 - 43.0	232
p. Fruits (not fruit juice)	31.7	25.1 - 39.1	63	21.9	16.3 - 28.9	77	18.9	14.2 - 24.9	92	23.1	19.8 - 26.8	232
q. Non-fried vegetables (not vegetable juice)	18.4	12.9 - 25.6	63	14.1	10.0 - 19.7	77	10.6	7.1 - 15.7	93	13.7	11.1 - 16.9	233

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	11.0	7.4 - 16.3	63	16.3	11.6 - 22.3	76	10.4	7.1 - 14.8	97	12.5	10.1 - 15.4	236
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	45.0	36.6 - 53.7	63	51.9	44.6 - 59.1	76	45.1	37.7 - 52.6	97	47.4	42.9 - 51.9	236
c. Provided information to students or families on the nutrition and caloric content of foods available	51.9	43.5 - 60.2	62	56.8	49.2 - 64.1	76	41.9	36.0 - 48.0	96	49.3	45.2 - 53.4	234
d. Conducted taste tests to determine food preferences for nutritious items	19.4	13.7 - 26.7	63	24.5	19.1 - 30.9	76	13.8	10.2 - 18.3	96	18.8	15.9 - 22.0	235
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	16.7	12.2 - 22.6	63	17.8	12.8 - 24.1	76	16.6	12.0 - 22.5	95	17.0	14.1 - 20.4	234
f. Served locally or regionally grown foods in the cafeteria or classrooms	43.0	34.9 - 51.6	63	56.6	50.3 - 62.8	76	52.9	47.4 - 58.4	95	51.8	48.0 - 55.5	234
g. Planted a school food or vegetable garden	12.8	8.1 - 19.7	63	19.1	14.3 - 25.2	76	19.0	14.6 - 24.4	96	17.5	14.7 - 20.9	235
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	76.2	68.8 - 82.3	63	67.8	60.9 - 74.0	76	72.3	65.7 - 78.1	96	71.7	67.8 - 75.4	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	64.4	55.7 - 72.2	63	66.4	59.4 - 72.8	76	65.4	59.0 - 71.4	96	65.5	61.4 - 69.4	235
j. Offered a self-serve salad bar to students	79.6	72.4 - 85.3	63	74.6	68.7 - 79.7	76	89.5	84.5 - 93.1	96	82.1	78.9 - 84.9	235
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	30.5	23.7 - 38.1	63	26.7	20.2 - 34.4	76	24.8	20.0 - 30.3	96	26.8	23.3 - 30.6	235
l. Encouraged students to drink plain water	93.7	89.7 - 96.2	60	81.6	74.8 - 86.9	75	82.5	76.8 - 87.1	95	84.8	81.5 - 87.7	230
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	26.9	19.4 - 35.9	63	20.3	15.2 - 26.6	76	14.6	10.7 - 19.8	96	19.5	16.4 - 23.1	235
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	14.8	10.1 - 21.2	63	19.1	14.3 - 25.2	76	11.3	8.0 - 15.7	96	14.8	12.2 - 17.8	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	56.4	49.6 - 62.9	63	63.0	56.0 - 69.5	76	48.1	41.1 - 55.2	97	55.1	51.0 - 59.2	236
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	42.9	36.4 - 49.6	63	56.8	49.6 - 63.7	76	45.1	38.5 - 51.9	97	48.5	44.5 - 52.5	236
c. On school buses or other vehicles used to transport students	70.8	63.7 - 77.0	63	65.2	58.0 - 71.7	75	57.0	50.1 - 63.7	96	63.1	59.0 - 67.0	234
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	47.7	40.3 - 55.2	63	60.3	53.1 - 67.0	76	48.2	41.8 - 54.8	97	52.1	48.1 - 56.2	236
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	56.0	48.1 - 63.6	63	58.7	51.5 - 65.5	75	55.3	48.4 - 62.1	97	56.6	52.4 - 60.7	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	70.7	61.9 - 78.3	61	52.6	44.6 - 60.4	74	77.1	70.8 - 82.4	96	67.4	63.2 - 71.4	231
b. Yes, in certain locations	24.5	17.3 - 33.4	61	35.2	27.8 - 43.5	74	17.6	13.1 - 23.3	96	25.1	21.4 - 29.3	231
c. No	4.8	2.3 - 9.8	61	12.2	8.3 - 17.6	74	5.3	3.0 - 9.1	96	7.5	5.6 - 9.9	231

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.2	90.2 - 97.7	61	87.8	82.4 - 91.7	74	94.7	90.9 - 97.0	96	92.5	90.1 - 94.4	231

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	98.2	93.9 - 99.5	59	98.4	94.6 - 99.5	67	97.7	94.3 - 99.1	88	98.0	96.3 - 99.0	214
b. Cafeteria during lunch	98.3	94.1 - 99.5	62	98.6	95.0 - 99.6	75	98.9	96.0 - 99.7	96	98.6	97.2 - 99.3	233
c. Gymnasium or other indoor physical activity facilities	93.6	88.2 - 96.7	63	93.5	88.7 - 96.4	76	94.8	90.8 - 97.1	96	94.1	91.7 - 95.8	235
d. Outdoor physical activity facilities and sports fields	86.9	79.9 - 91.8	63	80.5	73.9 - 85.7	76	92.7	88.3 - 95.5	95	87.1	84.0 - 89.7	234
e. Hallways throughout the school	96.7	92.0 - 98.7	63	97.1	93.1 - 98.8	75	97.9	94.9 - 99.1	97	97.3	95.6 - 98.4	235

*Among schools with that location.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
56.3	48.7 - 63.6	60	49.6	42.3 - 56.9	76	23.2	18.5 - 28.6	95	40.0	36.3 - 43.9	231

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.7	0.5 - 5.9	63	1.4	0.4 - 4.8	77	0.0	†	97	0.9	0.4 - 2.2	237
b. HIV treatment	1.7	0.5 - 5.9	63	1.4	0.4 - 4.8	77	1.0	0.3 - 3.5	96	1.3	0.6 - 2.7	236
c. STD testing	3.4	1.4 - 8.1	63	1.4	0.4 - 4.8	77	0.0	†	97	1.3	0.6 - 2.7	237
d. STD treatment	3.4	1.4 - 8.1	63	2.8	1.1 - 6.7	77	0.0	†	97	1.8	0.9 - 3.3	237
e. Pregnancy testing	3.4	1.4 - 8.1	63	1.4	0.4 - 4.8	77	3.1	1.5 - 6.4	96	2.6	1.5 - 4.3	236
f. Provision of condoms	3.1	1.2 - 7.4	63	1.4	0.4 - 4.8	77	1.0	0.3 - 3.4	97	1.6	0.9 - 3.1	237
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	3.1	1.2 - 7.4	63	1.4	0.4 - 4.8	77	0.0	†	97	1.2	0.6 - 2.5	237
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.7	0.5 - 5.9	63	1.4	0.4 - 4.8	77	0.0	†	96	0.9	0.4 - 2.2	236
i. Prenatal care	10.0	6.5 - 15.1	63	5.5	2.9 - 10.1	77	3.9	2.1 - 7.3	97	5.9	4.3 - 8.1	237
j. Human papillomavirus (HPV) vaccine administration	3.1	1.2 - 7.4	63	1.4	0.4 - 4.8	77	1.0	0.3 - 3.4	97	1.6	0.9 - 3.1	237

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	49.1	40.5 - 57.7	62	30.8	24.7 - 37.6	77	32.0	26.2 - 38.3	96	35.7	31.8 - 39.7	235
b. HIV treatment	49.1	40.0 - 58.2	62	30.8	24.7 - 37.6	77	31.3	25.4 - 37.8	95	35.4	31.4 - 39.5	234
c. STD testing	52.5	43.3 - 61.5	62	33.3	26.8 - 40.5	77	32.0	26.2 - 38.3	96	37.3	33.3 - 41.5	235
d. STD treatment	49.1	40.1 - 58.3	62	31.9	25.7 - 38.9	77	31.3	25.4 - 37.8	95	35.8	31.8 - 40.0	234
e. Pregnancy testing	55.6	47.0 - 63.8	62	33.3	26.8 - 40.5	77	34.9	29.2 - 41.1	96	39.3	35.4 - 43.3	235
f. Provision of condoms	33.9	25.7 - 43.0	62	15.2	10.4 - 21.7	77	24.2	19.7 - 29.4	96	23.5	20.2 - 27.1	235
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	33.9	25.7 - 43.0	62	15.2	10.4 - 21.7	77	24.2	19.7 - 29.4	96	23.5	20.2 - 27.1	235
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	37.2	29.0 - 46.3	62	15.4	10.5 - 21.9	76	24.2	19.7 - 29.4	96	24.4	21.0 - 28.0	234
i. Prenatal care	55.9	46.6 - 64.8	62	35.2	28.1 - 43.1	77	34.9	29.2 - 41.1	96	40.0	35.9 - 44.3	235
j. Human papillomavirus (HPV) vaccine administration	44.0	35.1 - 53.3	62	31.3	24.8 - 38.7	77	29.5	24.4 - 35.1	96	33.6	29.8 - 37.6	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
68.0	60.1 - 75.1	59	59.5	52.3 - 66.3	72	67.7	60.7 - 73.9	92	65.0	60.8 - 69.0	223

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	98.3	94.1 - 99.5	63	98.7	95.5 - 99.6	77	99.0	96.6 - 99.7	97	98.7	97.4 - 99.4	237
b. Food allergies	96.9	92.6 - 98.8	63	96.0	91.9 - 98.1	77	99.0	96.6 - 99.7	97	97.5	95.8 - 98.5	237
c. Diabetes	96.9	92.6 - 98.8	63	94.8	90.3 - 97.3	77	97.9	94.9 - 99.1	97	96.6	94.7 - 97.9	237
d. Epilepsy or seizure disorder	94.3	89.3 - 97.0	63	91.0	85.7 - 94.5	77	95.9	92.4 - 97.9	97	93.9	91.5 - 95.6	237
e. Obesity	41.0	34.6 - 47.7	63	51.2	44.1 - 58.3	77	38.0	31.9 - 44.5	97	43.2	39.3 - 47.1	237
f. Hypertension/high blood pressure	75.9	68.3 - 82.1	63	66.1	58.0 - 73.4	77	69.4	63.5 - 74.8	97	69.9	65.8 - 73.6	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	61.5	52.3 - 70.0	62	55.4	47.7 - 62.9	77	49.0	43.1 - 55.0	97	54.2	50.0 - 58.3	236
b. Food allergies	60.1	51.1 - 68.5	62	55.4	47.7 - 62.9	77	48.4	42.6 - 54.3	96	53.6	49.4 - 57.8	235
c. Diabetes	60.1	51.1 - 68.5	62	54.1	46.6 - 61.4	77	49.0	43.1 - 55.0	97	53.4	49.2 - 57.5	236
d. Epilepsy or seizure disorder	58.8	49.6 - 67.3	62	52.9	45.3 - 60.4	77	47.3	41.3 - 53.4	96	52.0	47.7 - 56.2	235
e. Obesity	45.1	36.9 - 53.6	62	46.7	39.4 - 54.1	77	35.0	29.0 - 41.5	96	41.4	37.3 - 45.6	235
f. Hypertension/high blood pressure	55.3	46.3 - 64.0	62	51.5	44.2 - 58.8	77	43.2	36.7 - 49.9	96	48.9	44.6 - 53.3	235

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	25.2	19.0 - 32.6	63	17.0	11.8 - 23.8	77	23.6	18.2 - 30.0	97	21.7	18.3 - 25.5	237
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	56.6	48.8 - 64.0	63	58.9	51.3 - 66.0	77	47.2	41.7 - 52.8	98	53.4	49.5 - 57.2	238
c. Involved parents as school volunteers in the delivery of health education activities and services	32.3	26.2 - 39.0	63	32.2	25.9 - 39.3	77	32.4	27.4 - 37.7	98	32.3	28.9 - 35.9	238
d. Linked parents and families to health services and programs in the community	65.0	57.3 - 72.1	63	60.9	53.7 - 67.6	77	55.4	48.6 - 62.0	97	59.6	55.4 - 63.6	237

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
76.9	68.9 - 83.3	63	79.3	72.4 - 84.8	77	79.4	73.3 - 84.5	98	78.8	75.0 - 82.1	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.4	73.9 - 82.4	63	70.8	64.2 - 76.7	77	48.9	42.7 - 55.1	98	63.4	59.8 - 66.8	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
65.8	58.8 - 72.1	63	57.0	49.6 - 64.1	77	55.0	48.4 - 61.5	98	58.3	54.2 - 62.3	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.9	79.9 - 90.3	63	65.0	58.1 - 71.3	77	79.9	74.3 - 84.6	98	76.3	72.8 - 79.5	238

NEBRASKA

2014 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
37.0	30.3 - 44.2	63	30.7	23.9 - 38.4	77	35.1	29.4 - 41.3	97	34.0	30.3 - 38.1	237