

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	30.6	22.4 - 40.2	49	46.9	40.6 - 53.4	61	26.5	21.0 - 32.9	90	33.6	29.7 - 37.8	200
b. Nutrition	30.1	22.0 - 39.5	50	42.5	36.0 - 49.4	60	28.7	22.9 - 35.4	90	33.1	29.2 - 37.4	200
c. Tobacco-use prevention	26.6	19.2 - 35.6	49	37.4	30.7 - 44.7	60	26.6	21.0 - 33.0	90	29.8	25.9 - 34.0	199
d. Asthma	14.5	8.5 - 23.5	48	37.6	29.7 - 46.4	60	17.8	12.6 - 24.7	89	22.9	19.0 - 27.3	197
e. Injury and violence prevention	26.6	18.7 - 36.4	49	41.0	33.4 - 48.9	60	21.2	16.3 - 27.0	89	28.4	24.6 - 32.6	198

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	34.8	25.7 - 45.0	52	48.3	40.1 - 56.6	63	25.3	19.5 - 32.2	94	34.5	30.2 - 39.1	209
b. Physical education and physical activity	38.7	30.1 - 48.0	52	46.8	38.9 - 54.9	63	26.4	20.7 - 33.0	94	35.6	31.4 - 40.0	209
c. Nutrition services and foods and beverages available at school	38.7	29.5 - 48.7	52	38.8	30.5 - 47.8	63	26.1	20.9 - 32.1	95	33.0	28.8 - 37.5	210
d. Health services	32.9	23.7 - 43.6	52	38.4	30.8 - 46.5	63	25.1	19.8 - 31.3	95	31.0	26.8 - 35.4	210
e. Mental health and social services	23.3	16.0 - 32.5	52	29.3	22.3 - 37.4	63	23.1	18.1 - 28.9	95	25.0	21.2 - 29.1	210
f. Healthy and safe school environment	57.9	48.0 - 67.2	52	61.9	54.8 - 68.5	63	38.9	32.9 - 45.3	95	50.4	46.2 - 54.7	210
g. Family and community involvement	48.2	39.0 - 57.6	52	59.1	50.4 - 67.2	63	44.3	38.7 - 50.2	95	49.7	45.3 - 54.0	210
h. Faculty and staff health promotion	29.1	20.7 - 39.2	52	43.7	36.0 - 51.6	63	25.2	20.2 - 31.0	95	31.6	27.6 - 35.9	210

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Number of minutes of physical education required in each grade	76.9	68.9 - 83.4	52	82.8	76.4 - 87.8	63	78.4	72.9 - 83.1	92	79.4	75.8 - 82.5	207
b. Rates of student participation in school meal programs	86.3	79.4 - 91.2	52	92.6	88.3 - 95.3	63	87.0	81.0 - 91.2	92	88.5	85.2 - 91.1	207
c. Revenue from sale of foods and beverages from school-sponsored fundraisers, vending machines, school stores, or a la carte lines in the school cafeteria	62.7	54.4 - 70.3	51	71.4	63.4 - 78.2	63	61.0	54.4 - 67.3	93	64.5	60.2 - 68.6	207
d. Number of minutes of physical activity outside of physical education (e.g., classroom physical activity breaks, free time physical activity, or recess)	29.0	21.8 - 37.3	52	45.7	37.3 - 54.4	63	53.9	46.9 - 60.8	93	45.2	40.7 - 49.7	208

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.6	75.8 - 90.6	52	86.9	79.3 - 92.0	61	87.3	81.9 - 91.2	88	86.5	82.7 - 89.5	201

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.8	44.7 - 62.5	50	56.9	48.5 - 64.9	60	49.3	42.6 - 56.0	93	52.6	48.1 - 57.1	203

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	91.9	81.2 - 96.7	25	96.4	87.5 - 99.1	30	100.0	†	46	96.9	93.5 - 98.6	101
b. Health education teachers	83.7	71.3 - 91.4	25	96.9	88.7 - 99.2	30	82.7	74.9 - 88.5	46	87.1	82.3 - 90.8	101
c. Physical education teachers	87.8	76.5 - 94.1	25	100.0	†	30	84.8	77.4 - 90.1	46	90.0	85.7 - 93.1	101
d. Mental health or social services staff	35.0	24.7 - 47.0	23	44.5	33.9 - 55.6	30	26.4	18.7 - 36.0	45	33.9	28.3 - 40.1	98
e. Nutrition or food service staff	67.4	56.9 - 76.4	25	72.4	60.6 - 81.7	30	59.5	48.6 - 69.5	45	65.3	58.8 - 71.3	100
f. Health services staff (e.g., school nurse)	87.2	75.5 - 93.8	24	87.1	78.7 - 92.4	30	64.8	55.6 - 73.0	46	76.8	71.3 - 81.6	100
g. Maintenance and transportation staff	28.8	19.0 - 41.2	24	30.6	21.6 - 41.4	30	30.9	23.1 - 39.9	45	30.3	25.0 - 36.2	99
h. Technology staff	26.4	16.8 - 38.8	23	27.6	19.0 - 38.2	30	26.4	19.6 - 34.5	45	26.8	21.9 - 32.3	98
i. Library/media center staff	12.5	5.7 - 25.5	24	27.6	19.0 - 38.2	30	17.7	11.0 - 27.2	45	19.4	14.6 - 25.2	99
j. Student body	57.9	45.6 - 69.4	24	63.1	50.7 - 74.1	30	46.4	36.3 - 56.9	45	54.3	47.6 - 60.8	99
k. Parents or families of students	62.0	49.4 - 73.2	24	64.6	52.0 - 75.5	29	57.5	46.6 - 67.6	45	60.7	53.8 - 67.2	98
l. Community members	71.5	60.1 - 80.7	25	65.7	54.2 - 75.6	30	59.6	49.0 - 69.5	45	64.4	57.9 - 70.4	100

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Local health departments, agencies, or organizations	45.7	32.8 - 59.2	24	43.9	31.9 - 56.8	30	39.5	30.6 - 49.1	45	42.3	35.9 - 49.0	99
n. Faith-based organizations	4.0	1.0 - 14.5	24	3.6	0.9 - 12.5	30	15.4	9.3 - 24.3	45	9.1	5.8 - 13.8	99
o. Businesses	16.5	8.2 - 30.4	24	17.3	9.6 - 29.4	30	19.7	13.3 - 28.2	45	18.2	13.5 - 24.0	99
p. Local government agencies	29.4	18.6 - 43.2	24	14.3	7.5 - 25.6	30	30.7	22.5 - 40.3	45	25.5	20.2 - 31.6	99

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	13.8	8.2 - 22.5	51	23.3	16.4 - 31.8	62	9.5	6.0 - 14.6	94	14.6	11.5 - 18.4	207
b. Youth who participate in drop-out prevention, alternative education, or GED programs	29.0	20.5 - 39.1	52	27.8	20.1 - 36.9	62	13.7	9.7 - 19.0	93	21.7	18.0 - 26.0	207

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
27.1	21.3 - 33.8	52	18.6	12.8 - 26.4	61	9.6	6.4 - 14.1	94	16.6	13.8 - 20.0	207

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to LGBTQ youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify “safe spaces” (e.g., a counselor’s office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	48.0	39.5 - 56.6	52	45.0	37.3 - 52.9	61	31.4	24.9 - 38.6	92	39.6	35.3 - 44.2	205
b. Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity	90.2	82.5 - 94.7	52	84.5	78.6 - 89.0	62	70.8	63.8 - 76.9	93	79.7	75.9 - 83.2	207
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	61.7	53.2 - 69.5	52	51.0	41.9 - 60.1	62	43.0	36.2 - 50.1	93	50.1	45.5 - 54.7	207
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	40.4	30.9 - 50.7	52	35.9	28.5 - 44.1	62	29.1	23.5 - 35.3	93	34.0	29.8 - 38.5	207
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	51.8	42.4 - 61.0	52	39.1	32.0 - 46.8	62	30.2	24.1 - 37.0	93	38.3	34.1 - 42.8	207

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	67.0	57.9 - 75.1	52	51.2	42.8 - 59.6	61	59.0	52.3 - 65.3	93	58.8	54.3 - 63.2	206
b. Procedures to protect HIV-infected students and staff from discrimination	72.6	63.6 - 80.1	52	61.9	53.9 - 69.4	62	63.5	56.7 - 69.8	94	65.4	60.9 - 69.5	208
c. Maintaining confidentiality of HIV-infected students and staff	80.5	72.0 - 86.8	52	68.8	61.3 - 75.5	62	70.0	63.7 - 75.6	94	72.3	68.2 - 76.0	208
d. Worksite safety (i.e., universal precautions for all school staff)	80.5	70.9 - 87.5	52	76.4	69.5 - 82.0	62	74.4	68.0 - 79.9	94	76.5	72.4 - 80.2	208
e. Confidential counseling for HIV-infected students	61.0	51.7 - 69.6	52	42.8	34.9 - 51.0	62	48.7	42.2 - 55.2	94	50.1	45.7 - 54.5	208
f. Communication of the policy to students, school staff, and parents	65.0	56.5 - 72.7	52	50.6	41.2 - 59.9	62	60.0	52.8 - 66.7	93	58.5	53.7 - 63.1	207
g. Adequate training about HIV infection for school staff	63.0	55.0 - 70.4	52	55.5	47.5 - 63.2	62	53.9	46.9 - 60.8	94	56.7	52.3 - 61.0	208
h. Procedures for implementing the policy	61.2	51.9 - 69.7	52	49.7	41.3 - 58.1	61	58.3	51.2 - 65.1	94	56.5	51.9 - 61.1	207

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that have or participate in each of the following programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. A student mentoring program	73.0	65.1 - 79.7	52	76.7	69.4 - 82.8	62	59.6	53.8 - 65.1	95	67.9	64.1 - 71.6	209
b. A safe-passages to school program	15.6	10.2 - 23.1	51	21.4	14.9 - 29.6	62	22.9	17.6 - 29.2	95	20.6	17.1 - 24.7	208
c. A program to prevent bullying	72.9	63.9 - 80.3	52	95.5	90.3 - 97.9	62	82.0	76.2 - 86.6	95	83.6	80.0 - 86.6	209
d. A program to prevent dating violence	47.8	38.7 - 57.0	52	46.9	38.3 - 55.8	62	56.7	50.3 - 63.0	95	51.6	47.1 - 56.1	209
e. A youth development program	59.9	49.5 - 69.5	50	61.0	52.5 - 68.8	62	48.7	42.5 - 55.0	94	55.1	50.6 - 59.6	206

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes	82.6	73.4 - 89.1	52	72.0	63.9 - 78.8	63	86.1	80.6 - 90.2	94	81.0	77.1 - 84.4	209
b. No	15.6	9.5 - 24.4	52	28.0	21.2 - 36.1	63	11.7	8.1 - 16.7	94	17.5	14.3 - 21.3	209
c. Not applicable	1.8	0.5 - 6.8	52	0.0	†	63	2.2	0.8 - 5.6	94	1.5	0.7 - 3.1	209

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

13. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	51	100.0	†	63	100.0	†	95	100.0	†	209

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	100.0	†	48	98.6	94.6 - 99.6	72	99.1	96.7 - 99.8	120
b. Seventh grade	§	§	§	100.0	†	58	98.9	96.0 - 99.7	90	99.3	97.5 - 99.8	148
c. Eighth grade	§	§	§	100.0	†	59	98.9	95.9 - 99.7	89	99.3	97.5 - 99.8	148
d. Ninth grade	95.7	89.3 - 98.4	48	83.7	68.8 - 92.3	19	86.4	80.9 - 90.6	89	89.0	85.3 - 91.9	156
e. Tenth grade	62.6	52.0 - 72.2	45	§	§	§	40.8	33.4 - 48.6	83	48.5	42.4 - 54.6	128
f. Eleventh grade	35.6	26.2 - 46.2	45	§	§	§	13.4	9.2 - 19.0	82	21.3	16.9 - 26.5	127
g. Twelfth grade	31.1	21.9 - 42.0	45	§	§	§	15.8	11.1 - 21.9	82	21.2	16.7 - 26.7	127

*Among schools with students in that grade.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Enrollment in other courses (e.g., math or science)	23.1	16.7 - 30.9	48	13.6	8.3 - 21.4	60	18.6	13.6 - 25.1	90	18.2	14.8 - 22.2	198
b. Participation in school sports	8.4	4.2 - 16.0	48	6.7	3.4 - 12.8	60	9.9	6.3 - 15.4	90	8.6	6.2 - 11.8	198
c. Participation in other school activities (e.g., ROTC, band, or chorus)	17.0	11.0 - 25.2	48	8.7	4.7 - 15.5	60	2.2	0.8 - 5.6	90	7.8	5.6 - 10.7	198
d. Participation in community sports activities	2.1	0.6 - 8.0	48	1.8	0.5 - 6.6	60	1.1	0.3 - 4.3	90	1.6	0.7 - 3.4	198
e. Religious reasons	38.3	29.3 - 48.2	47	31.4	24.6 - 39.2	58	39.9	33.9 - 46.1	90	37.0	32.9 - 41.4	195
f. Long-term physical or medical disability	81.1	72.5 - 87.5	48	73.8	64.8 - 81.1	60	71.1	63.9 - 77.3	90	74.4	69.8 - 78.4	198
g. Cognitive disability	41.4	32.1 - 51.3	48	33.6	26.3 - 41.8	60	37.8	31.9 - 44.1	90	37.4	33.2 - 41.9	198
h. High physical fitness competency test score	2.1	0.6 - 8.0	48	1.8	0.5 - 6.6	60	1.1	0.3 - 4.3	90	1.6	0.7 - 3.4	198
i. Participation in vocational training	6.4	2.9 - 13.6	48	4.9	2.2 - 10.5	59	4.5	2.3 - 8.7	90	5.1	3.3 - 7.8	197
j. Participation in community service activities	2.1	0.6 - 8.0	48	8.2	4.4 - 14.7	60	2.3	0.9 - 5.8	90	4.0	2.5 - 6.4	198

*Among those schools that require physical education for students in any of grades 6 through 12.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
76.4	68.5 - 82.9	51	79.8	71.9 - 85.9	63	75.5	68.4 - 81.4	94	77.0	72.7 - 80.8	208

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	96.3	90.7 - 98.6	52	93.8	88.2 - 96.9	63	84.2	79.0 - 88.3	95	90.1	87.2 - 92.4	210
b. A chart describing the annual scope and sequence of instruction for physical education	73.1	63.3 - 81.0	52	75.2	68.1 - 81.1	62	56.9	50.3 - 63.1	95	66.3	62.0 - 70.3	209
c. Plans for how to assess student performance in physical education	81.0	71.7 - 87.8	52	77.9	71.7 - 83.1	63	69.3	62.9 - 75.0	95	74.8	70.8 - 78.4	210
d. A written physical education curriculum	80.9	73.7 - 86.5	52	84.4	77.0 - 89.7	62	84.0	79.3 - 87.8	95	83.3	80.0 - 86.2	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
49.1	40.8 - 57.4	51	66.8	59.6 - 73.2	63	30.7	24.9 - 37.3	95	45.9	41.9 - 50.0	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.0	87.3 - 97.3	51	90.7	84.1 - 94.7	63	88.3	83.4 - 91.9	95	90.4	87.3 - 92.8	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.0	92.6 - 99.5	52	95.1	89.6 - 97.8	63	97.8	94.5 - 99.2	93	97.1	95.0 - 98.3	208

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	94.1	87.5 - 97.3	50	94.8	88.9 - 97.6	59	94.5	90.1 - 97.0	90	94.5	91.8 - 96.3	199
b. Smokeless Tobacco	94.1	87.5 - 97.3	50	94.8	88.9 - 97.6	59	94.5	90.1 - 97.0	90	94.5	91.8 - 96.3	199
c. Cigars	92.1	87.4 - 95.1	50	91.6	84.9 - 95.5	59	90.0	84.5 - 93.7	90	91.0	87.9 - 93.3	199
d. Pipes	92.1	87.4 - 95.1	50	91.4	84.7 - 95.4	58	88.8	83.2 - 92.7	90	90.4	87.2 - 92.8	198

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	92.2	85.1 - 96.1	50	88.2	80.8 - 93.0	58	83.3	77.7 - 87.7	90	87.0	83.5 - 89.8	198
b. Smokeless Tobacco	92.2	85.1 - 96.1	50	86.4	78.5 - 91.7	58	82.2	76.5 - 86.7	90	85.9	82.3 - 88.9	198
c. Cigars	90.2	84.5 - 93.9	50	85.0	77.9 - 90.1	58	77.6	71.1 - 83.0	90	82.9	79.2 - 86.1	198
d. Pipes	90.2	84.5 - 93.9	50	85.0	77.9 - 90.1	58	77.6	71.1 - 83.0	90	82.9	79.2 - 86.1	198

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	90.2	82.4 - 94.7	50	86.4	78.5 - 91.7	57	78.6	72.2 - 83.9	89	83.8	79.9 - 87.1	196
b. Smokeless Tobacco	82.2	73.1 - 88.8	50	82.6	73.9 - 88.9	57	71.8	64.9 - 77.8	89	77.6	73.1 - 81.5	196
c. Cigars	88.1	81.6 - 92.5	50	83.1	75.5 - 88.6	57	72.6	65.3 - 78.8	88	79.6	75.5 - 83.2	195
d. Pipes	88.1	81.6 - 92.5	50	83.1	75.5 - 88.6	57	72.9	65.7 - 79.0	89	79.7	75.6 - 83.3	196

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.9	92.4 - 99.5	50	93.5	87.4 - 96.7	61	96.7	92.8 - 98.5	91	96.0	93.6 - 97.5	202
b. During non-school hours	89.9	82.0 - 94.6	50	86.7	79.0 - 91.8	61	88.5	82.8 - 92.5	90	88.3	84.7 - 91.2	201

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.9	89.8 - 98.5	49	90.4	83.6 - 94.5	61	86.7	81.5 - 90.7	91	90.1	87.0 - 92.5	201
b. During non-school hours	63.6	54.7 - 71.7	49	72.7	63.7 - 80.2	61	47.4	40.0 - 54.8	90	59.0	54.2 - 63.6	200

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	94.0	87.3 - 97.3	49	87.1	79.6 - 92.1	60	83.5	77.7 - 88.0	91	87.2	83.6 - 90.0	200
b. During non-school hours	63.6	53.9 - 72.4	49	72.2	63.1 - 79.9	60	43.0	36.1 - 50.2	90	56.8	52.0 - 61.5	199

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.9	92.4 - 99.5	50	93.5	87.4 - 96.7	61	97.8	94.4 - 99.2	91	96.5	94.3 - 97.9	202
b. Outside on school grounds, including parking lots and playing fields	97.9	92.4 - 99.5	50	93.5	87.4 - 96.7	61	97.8	94.4 - 99.2	91	96.5	94.3 - 97.9	202
c. On school buses or other vehicles used to transport students	97.9	92.4 - 99.5	50	93.5	87.4 - 96.7	61	97.8	94.4 - 99.2	91	96.5	94.3 - 97.9	202
d. At off-campus, school-sponsored events	97.9	92.2 - 99.5	49	93.5	87.4 - 96.7	61	96.7	92.8 - 98.5	91	96.0	93.6 - 97.5	201

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.9	92.4 - 99.5	50	91.9	85.5 - 95.6	61	96.7	93.0 - 98.5	91	95.6	93.2 - 97.2	202
b. Outside on school grounds, including parking lots and playing fields	90.2	84.4 - 93.9	50	83.7	77.7 - 88.4	60	81.2	74.6 - 86.5	91	84.2	80.6 - 87.3	201
c. On school buses or other vehicles used to transport students	97.9	92.2 - 99.5	49	91.8	85.3 - 95.6	60	93.4	88.8 - 96.2	91	94.0	91.3 - 96.0	200
d. At off-campus, school-sponsored events	81.8	73.6 - 87.9	49	82.1	75.4 - 87.3	60	78.1	71.2 - 83.7	91	80.2	76.2 - 83.7	200

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.9	92.2 - 99.5	49	90.2	83.4 - 94.4	60	94.5	91.5 - 96.5	91	94.1	91.7 - 95.9	200
b. Outside on school grounds, including parking lots and playing fields	81.9	73.5 - 88.1	49	80.3	73.6 - 85.7	59	62.4	55.1 - 69.2	91	72.5	68.2 - 76.4	199
c. On school buses or other vehicles used to transport students	93.9	87.2 - 97.2	49	86.4	78.6 - 91.7	58	90.1	85.5 - 93.4	91	90.0	86.8 - 92.5	198
d. At off-campus, school-sponsored events	57.6	47.4 - 67.1	49	57.0	49.7 - 64.0	59	36.3	29.5 - 43.6	91	47.6	43.1 - 52.2	199

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
42.3	32.8 - 52.4	50	43.2	35.4 - 51.3	59	17.7	13.0 - 23.5	90	31.4	27.3 - 35.7	199

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	100.0	†	49	98.4	93.9 - 99.6	58	98.8	95.6 - 99.7	89	99.0	97.4 - 99.6	196
b. Faculty and staff	98.1	92.8 - 99.5	49	95.1	89.5 - 97.8	57	88.6	83.6 - 92.2	89	92.9	90.1 - 94.9	195
c. Visitors	83.4	74.1 - 89.8	48	81.1	73.9 - 86.6	56	62.6	55.5 - 69.2	84	73.4	69.1 - 77.3	188

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.8	90.3 - 96.1	49	98.1	93.0 - 99.5	57	97.8	94.3 - 99.1	89	96.9	95.1 - 98.0	195

*Among those schools that have adopted a policy prohibiting tobacco use.
 N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	52.2	42.3 - 62.0	46	45.9	37.4 - 54.7	56	23.2	17.9 - 29.4	87	37.0	32.6 - 41.6	189
b. Principal	34.6	27.1 - 43.0	46	46.4	38.6 - 54.4	56	73.3	67.0 - 78.8	87	55.9	51.8 - 60.0	189
c. Assistant principal	10.9	5.8 - 19.4	46	7.6	4.7 - 12.2	56	1.2	0.3 - 4.4	87	5.4	3.7 - 7.9	189
d. Other school administrator	2.2	0.6 - 8.3	46	0.0	†	56	1.2	0.3 - 4.5	87	1.1	0.4 - 2.8	189
e. Other school faculty or staff member	0.0	†	46	0.0	†	56	1.2	0.3 - 4.4	87	0.6	0.1 - 2.1	189

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Zero tolerance	82.2	72.9 - 88.9	51	82.4	74.1 - 88.4	63	78.8	72.9 - 83.6	94	80.7	76.6 - 84.2	208
b. Effect or severity of the violation	50.3	39.9 - 60.6	50	61.9	52.3 - 70.5	60	50.9	43.8 - 57.9	92	53.9	48.9 - 58.8	202
c. Grade level of student	26.0	18.8 - 34.8	51	39.2	31.5 - 47.5	60	28.1	22.0 - 35.1	92	30.8	26.6 - 35.2	203
d. Repeat offender status	82.7	75.1 - 88.4	51	83.5	76.6 - 88.7	60	87.9	82.2 - 92.0	92	85.3	81.7 - 88.3	203

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.0	†	50	0.0	†	63	0.0	†	95	0.0	†	208
b. Referred to a school counselor	7.7	4.8 - 12.1	51	3.2	1.2 - 8.1	63	8.6	5.3 - 13.6	95	6.8	4.8 - 9.4	209
c. Referred to a school administrator	0.0	†	51	0.0	†	63	0.0	†	95	0.0	†	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	19.8	15.2 - 25.4	50	19.3	14.5 - 25.2	62	16.0	11.6 - 21.8	94	17.9	15.0 - 21.2	206
e. Required to participate in an assistance, education, or cessation program	44.7	36.6 - 53.1	49	41.0	34.0 - 48.4	61	36.4	30.1 - 43.3	94	39.8	35.6 - 44.1	204
f. Referred to legal authorities	14.3	8.4 - 23.2	49	11.3	6.7 - 18.4	62	16.1	11.5 - 22.1	94	14.2	11.1 - 18.0	205
g. Placed in detention	20.2	13.6 - 29.1	49	12.9	7.9 - 20.4	63	16.9	12.2 - 23.0	95	16.5	13.2 - 20.4	207
h. Not allowed to participate in extra-curricular activities or interscholastic sports	2.1	0.5 - 7.7	49	6.9	3.5 - 13.2	62	2.1	0.8 - 5.4	95	3.5	2.1 - 5.8	206
i. Given in-school suspension	23.8	16.3 - 33.2	50	8.1	4.4 - 14.4	63	11.6	7.7 - 17.2	94	13.5	10.5 - 17.2	207
j. Suspended from school	0.0	†	48	9.5	5.4 - 16.2	63	10.8	7.4 - 15.7	95	7.9	5.7 - 10.7	206
k. Expelled from school	55.7	47.1 - 63.9	50	54.7	47.3 - 61.9	63	60.3	55.1 - 65.2	95	57.5	53.7 - 61.2	208
l. Reassigned to an alternative school	63.5	54.6 - 71.6	50	62.3	53.7 - 70.2	63	74.0	68.1 - 79.2	95	68.0	63.7 - 72.0	208

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.0	†	50	0.0	†	63	0.0	†	95	0.0	†	208
b. Referred to a school counselor	27.5	20.0 - 36.5	51	11.4	6.8 - 18.6	63	16.0	11.5 - 21.9	95	17.5	14.2 - 21.3	209
c. Referred to a school administrator	0.0	†	51	0.0	†	63	0.0	†	95	0.0	†	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	38.3	29.8 - 47.6	50	22.7	16.2 - 30.8	62	25.6	20.1 - 32.1	94	27.9	23.9 - 32.2	206
e. Required to participate in an assistance, education, or cessation program	28.7	20.7 - 38.2	49	25.0	18.4 - 33.0	61	33.0	26.5 - 40.3	94	29.6	25.4 - 34.2	204
f. Referred to legal authorities	18.3	12.2 - 26.4	49	13.4	8.8 - 19.8	62	24.6	19.2 - 31.0	94	19.7	16.4 - 23.6	205
g. Placed in detention	8.2	4.1 - 15.6	49	7.8	4.8 - 12.6	63	11.7	7.7 - 17.3	95	9.7	7.2 - 12.9	207
h. Not allowed to participate in extra-curricular activities or interscholastic sports	4.1	1.6 - 10.4	49	10.1	5.8 - 17.2	62	1.1	0.3 - 4.1	95	4.5	2.9 - 7.0	206
i. Given in-school suspension	10.0	5.4 - 17.8	50	8.0	4.3 - 14.4	63	8.6	5.3 - 13.7	94	8.8	6.4 - 12.0	207
j. Suspended from school	27.4	19.0 - 37.7	48	25.7	19.1 - 33.7	63	21.1	15.5 - 28.1	95	24.0	19.9 - 28.5	206
k. Expelled from school	36.4	29.1 - 44.2	50	34.5	27.2 - 42.7	63	26.2	21.1 - 32.0	95	31.2	27.4 - 35.2	208
l. Reassigned to an alternative school	30.4	23.0 - 39.1	50	28.3	21.0 - 37.1	63	20.7	15.7 - 26.8	95	25.3	21.5 - 29.6	208

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	6.1	2.8 - 12.9	50	0.0	†	63	1.0	0.3 - 3.8	95	1.9	1.0 - 3.8	208
b. Referred to a school counselor	55.1	47.1 - 62.9	51	53.6	45.1 - 61.9	63	52.4	45.1 - 59.7	95	53.5	48.8 - 58.0	209
c. Referred to a school administrator	2.0	0.5 - 7.5	51	3.2	1.2 - 8.1	63	2.2	0.8 - 5.6	95	2.4	1.3 - 4.4	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	27.9	19.7 - 37.8	50	30.5	22.7 - 39.5	62	36.1	29.5 - 43.3	94	32.4	28.0 - 37.2	206
e. Required to participate in an assistance, education, or cessation program	20.7	13.2 - 30.8	49	20.7	14.5 - 28.7	61	24.2	18.6 - 30.9	94	22.3	18.5 - 26.7	204
f. Referred to legal authorities	51.2	44.0 - 58.5	49	50.3	42.4 - 58.1	62	41.3	34.6 - 48.2	94	46.3	42.1 - 50.7	205
g. Placed in detention	34.7	24.9 - 45.9	49	33.9	26.1 - 42.6	63	35.6	29.3 - 42.6	95	34.9	30.3 - 39.7	207
h. Not allowed to participate in extra-curricular activities or interscholastic sports	22.6	16.3 - 30.6	49	31.3	24.1 - 39.6	62	11.6	8.3 - 15.9	95	20.1	16.9 - 23.7	206
i. Given in-school suspension	39.9	31.1 - 49.4	50	33.9	26.7 - 42.0	63	43.5	37.1 - 50.2	94	39.8	35.5 - 44.3	207
j. Suspended from school	41.5	32.5 - 51.2	48	38.2	29.9 - 47.2	63	44.0	37.7 - 50.6	95	41.7	37.2 - 46.3	206
k. Expelled from school	8.0	4.0 - 15.2	50	6.4	3.2 - 12.2	63	13.5	9.8 - 18.3	95	10.0	7.7 - 13.0	208
l. Reassigned to an alternative school	6.1	2.8 - 12.8	50	7.9	4.2 - 14.1	63	5.3	2.9 - 9.5	95	6.2	4.3 - 9.0	208

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	93.9	87.1 - 97.2	50	100.0	†	63	99.0	96.2 - 99.7	95	98.1	96.2 - 99.0	208
b. Referred to a school counselor	9.7	6.1 - 15.0	51	31.8	24.3 - 40.3	63	23.0	17.5 - 29.5	95	22.3	18.7 - 26.3	209
c. Referred to a school administrator	98.0	92.5 - 99.5	51	96.8	91.9 - 98.8	63	97.8	94.4 - 99.2	95	97.6	95.6 - 98.7	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	14.0	8.3 - 22.7	50	27.6	20.8 - 35.7	62	22.2	16.9 - 28.6	94	21.8	18.2 - 26.0	206
e. Required to participate in an assistance, education, or cessation program	6.0	2.7 - 12.6	49	13.3	8.8 - 19.7	61	6.3	3.6 - 10.8	94	8.3	6.1 - 11.2	204
f. Referred to legal authorities	16.2	9.9 - 25.4	49	25.1	18.8 - 32.6	62	18.0	13.1 - 24.2	94	19.7	16.2 - 23.7	205
g. Placed in detention	36.9	27.6 - 47.3	49	45.4	37.1 - 53.9	63	35.7	29.4 - 42.6	95	38.9	34.4 - 43.6	207
h. Not allowed to participate in extra-curricular activities or interscholastic sports	71.2	63.0 - 78.2	49	51.6	43.9 - 59.3	62	85.2	80.2 - 89.2	95	71.9	68.2 - 75.4	206
i. Given in-school suspension	26.4	19.0 - 35.3	50	50.0	41.8 - 58.2	63	36.2	29.6 - 43.3	94	37.9	33.5 - 42.5	207
j. Suspended from school	31.1	22.1 - 41.7	48	26.6	20.2 - 34.2	63	24.0	18.7 - 30.2	95	26.4	22.5 - 30.8	206
k. Expelled from school	0.0	†	50	4.4	2.0 - 9.4	63	0.0	†	95	1.3	0.6 - 2.8	208
l. Reassigned to an alternative school	0.0	†	50	1.5	0.4 - 5.5	63	0.0	†	95	0.4	0.1 - 1.7	208

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.0	60.6 - 74.5	50	79.3	71.8 - 85.2	62	66.1	58.8 - 72.7	92	70.5	66.2 - 74.5	204

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools that did the following activities during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts	31.2	25.1 - 38.0	51	37.6	29.5 - 46.5	63	40.0	34.2 - 46.2	95	37.1	33.2 - 41.3	209
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use	43.2	33.1 - 53.9	51	41.0	33.3 - 49.1	63	39.9	33.0 - 47.3	95	41.0	36.3 - 45.9	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	11.8	6.7 - 19.9	51	11.4	6.8 - 18.6	63	6.3	4.1 - 9.6	94	9.2	6.9 - 12.2	208
b. Students	11.8	6.7 - 19.9	51	14.4	9.1 - 22.1	63	12.6	9.2 - 17.1	93	12.9	10.2 - 16.3	207

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	27.5	20.7 - 35.5	51	21.7	15.8 - 29.0	63	7.4	5.3 - 10.3	95	16.6	13.9 - 19.7	209
b. Students	23.6	16.2 - 32.8	51	22.5	16.4 - 30.0	63	15.7	11.6 - 20.9	95	19.6	16.3 - 23.5	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	1.9	0.5 - 7.0	51	6.7	3.4 - 12.8	62	2.1	0.8 - 5.4	95	3.4	2.0 - 5.6	208
b. Never	0.0	†	51	3.5	1.3 - 8.7	62	1.1	0.3 - 4.1	95	1.5	0.7 - 3.3	208
c. Rarely	15.8	9.6 - 24.8	51	11.2	7.3 - 17.0	62	17.0	12.0 - 23.4	95	15.0	11.8 - 18.8	208
d. Sometimes	56.8	47.5 - 65.7	51	60.7	52.3 - 68.5	62	70.5	63.4 - 76.7	95	64.2	59.6 - 68.6	208
e. Always or almost always	25.5	18.4 - 34.1	51	17.9	12.3 - 25.4	62	9.3	6.2 - 13.8	95	15.9	12.9 - 19.4	208

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.1	81.7 - 92.4	51	63.2	54.0 - 71.5	63	82.9	77.9 - 87.0	95	78.4	74.6 - 81.7	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	50.9	41.7 - 60.0	51	29.1	21.6 - 37.9	62	30.3	24.7 - 36.5	95	35.1	30.9 - 39.4	208
b. Other kinds of candy	58.7	50.1 - 66.8	51	30.8	23.6 - 39.2	62	33.7	27.6 - 40.3	94	39.1	34.9 - 43.4	207
c. Salty snacks that are not low in fat (e.g., regular potato chips)	54.8	47.2 - 62.2	51	22.6	16.2 - 30.7	62	26.1	20.9 - 32.0	95	32.2	28.5 - 36.1	208
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	54.7	45.8 - 63.3	51	25.6	19.0 - 33.5	62	25.0	20.0 - 30.7	95	32.5	28.7 - 36.6	208
e. Ice cream or frozen yogurt that is not low in fat	22.5	15.3 - 31.8	49	13.1	8.8 - 19.2	62	14.7	10.1 - 20.7	95	16.1	12.9 - 19.9	206
f. 2% or whole milk (plain or flavored)	42.8	33.3 - 52.9	51	32.1	24.8 - 40.3	62	32.2	26.8 - 38.0	95	34.8	30.7 - 39.1	208
g. Water ices or frozen slushes that do not contain juice	17.7	11.7 - 25.9	51	15.9	10.8 - 22.8	62	14.4	10.7 - 19.0	95	15.6	12.8 - 19.0	208
h. Soda pop or fruit drinks that are not 100% juice	64.7	55.5 - 72.9	51	22.2	15.8 - 30.4	62	56.9	49.7 - 63.8	95	48.7	44.3 - 53.1	208
i. Sports drinks (e.g., Gatorade)	86.2	79.3 - 91.1	51	40.2	32.5 - 48.5	60	78.8	73.0 - 83.6	95	69.6	65.8 - 73.2	206
j. Foods or beverages containing caffeine	60.7	52.5 - 68.3	51	18.8	13.2 - 26.0	62	49.4	42.6 - 56.2	95	43.3	39.2 - 47.4	208
k. Fruits (not fruit juice)	33.2	24.5 - 43.2	51	23.0	16.4 - 31.3	62	20.2	16.1 - 25.2	94	24.3	20.7 - 28.3	207
l. Non-fried vegetables (not vegetable juice)	19.6	13.2 - 28.1	51	18.1	12.5 - 25.4	62	9.6	6.3 - 14.5	95	14.6	11.6 - 18.1	208

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
42.0	33.3 - 51.2	50	40.5	32.3 - 49.3	61	49.8	43.4 - 56.2	94	45.1	40.7 - 49.7	205

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

37. Percentage of schools that have done any of the following activities during this school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	15.5	11.0 - 21.3	52	18.3	12.6 - 25.9	62	12.7	8.5 - 18.5	95	15.0	12.1 - 18.6	209
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	34.5	27.7 - 42.0	52	52.7	45.1 - 60.1	63	45.2	38.8 - 51.7	95	44.7	40.6 - 48.8	210
c. Provided information to students or families on the nutrition and caloric content of foods available	28.9	21.8 - 37.2	52	51.9	44.0 - 59.7	63	30.0	24.9 - 35.6	95	36.2	32.4 - 40.1	210
d. Conducted taste tests to determine food preferences for nutritious items	17.3	11.5 - 25.1	52	17.6	12.1 - 24.9	63	9.7	6.2 - 15.0	95	13.9	11.0 - 17.5	210
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	17.2	10.8 - 26.3	52	18.5	14.1 - 24.0	62	15.8	11.4 - 21.6	95	17.0	13.9 - 20.6	209

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
5.7	2.6 - 12.1	52	0.0	†	63	0.0	†	95	1.4	0.7 - 3.1	210

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	40.6	31.8 - 50.2	52	50.2	42.0 - 58.5	63	39.9	34.1 - 46.0	95	43.1	38.9 - 47.5	210
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	40.7	32.5 - 49.4	52	45.4	37.7 - 53.3	63	36.7	30.5 - 43.4	95	40.3	36.0 - 44.6	210
c. On school buses or other vehicles used to transport students	59.8	49.5 - 69.3	52	55.5	46.4 - 64.2	62	49.2	42.2 - 56.2	95	53.7	48.8 - 58.5	209
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	38.4	29.3 - 48.4	52	47.9	39.1 - 56.9	63	48.2	41.3 - 55.1	95	45.6	40.9 - 50.4	210

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.9	45.8 - 61.8	52	44.6	36.7 - 52.8	63	13.6	9.8 - 18.6	94	32.9	29.4 - 36.7	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school has no students with known asthma.	2.0	0.5 - 7.5	51	1.5	0.4 - 5.6	63	5.4	2.9 - 9.7	95	3.4	2.0 - 5.6	209
b. All students with known asthma have an asthma action plan on file.	64.3	54.7 - 72.9	51	64.2	56.7 - 71.0	63	70.2	65.1 - 74.9	95	67.0	63.0 - 70.7	209
c. Most students with known asthma have an asthma action plan on file.	21.8	14.9 - 30.8	51	23.5	18.5 - 29.4	63	15.0	11.0 - 20.0	95	19.2	16.1 - 22.7	209
d. Some students with known asthma have an asthma action plan on file.	6.0	2.7 - 12.8	51	7.9	4.2 - 14.1	63	8.4	5.5 - 12.5	95	7.6	5.6 - 10.4	209
e. No students with known asthma have an asthma action plan on file.	5.9	2.7 - 12.4	51	3.0	1.1 - 7.5	63	1.1	0.3 - 4.1	95	2.8	1.6 - 4.9	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that use the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not identify students with poorly controlled asthma.	17.6	11.7 - 25.6	52	23.7	17.7 - 31.0	62	17.1	12.7 - 22.7	94	19.2	15.9 - 22.9	208
b. Frequent absences from school	42.3	33.1 - 52.1	52	25.7	19.4 - 33.2	63	31.3	25.6 - 37.7	94	32.4	28.4 - 36.7	209
c. Frequent visits to the school health office due to asthma	59.5	50.8 - 67.6	52	61.9	55.1 - 68.2	62	43.2	36.6 - 50.2	94	52.8	48.5 - 57.0	208
d. Frequent asthma symptoms at school	69.1	58.8 - 77.9	52	55.5	47.4 - 63.3	63	52.8	45.7 - 59.8	94	57.7	53.0 - 62.3	209
e. Frequent non-participation in physical education class due to asthma	53.7	45.6 - 61.6	52	43.5	37.2 - 50.1	63	43.4	37.0 - 50.0	94	46.0	42.0 - 50.1	209
f. Students sent home early due to asthma	46.2	37.5 - 55.2	52	40.1	33.3 - 47.3	63	29.4	23.4 - 36.1	94	36.8	32.7 - 41.1	209
g. Calls from school to 911, or other local emergency numbers, due to asthma	26.8	19.5 - 35.6	52	26.3	21.3 - 32.0	63	18.8	14.1 - 24.7	94	23.0	19.7 - 26.7	209

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Providing referrals to primary healthcare clinicians or child health insurance programs	62.3	51.4 - 72.1	50	56.3	46.7 - 65.5	62	45.8	39.0 - 52.8	89	53.2	48.2 - 58.1	201
b. Ensuring an appropriate written asthma action plan is obtained	87.9	79.6 - 93.1	50	82.8	75.9 - 88.0	63	83.1	78.6 - 86.8	90	84.2	80.9 - 87.1	203
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	86.0	78.8 - 91.0	50	83.2	76.5 - 88.3	63	78.7	73.4 - 83.2	90	81.9	78.5 - 84.9	203
d. Offering asthma education for students with asthma	56.0	47.2 - 64.4	50	62.6	54.7 - 69.9	63	50.8	44.1 - 57.4	90	55.7	51.3 - 60.0	203
e. Minimizing asthma triggers in the school environment	76.2	66.0 - 84.1	50	82.6	74.5 - 88.6	63	78.5	73.1 - 83.1	90	79.2	75.1 - 82.8	203
f. Addressing social and emotional issues related to asthma	46.1	36.5 - 56.0	50	56.5	48.2 - 64.5	63	41.9	34.7 - 49.4	90	47.4	42.6 - 52.2	203
g. Providing additional psychosocial counseling or support services as needed	34.0	27.1 - 41.6	50	43.6	34.6 - 53.1	63	31.0	24.3 - 38.4	90	35.6	31.1 - 40.3	203
h. Ensuring access to safe, enjoyable physical education and activity opportunities	95.9	89.8 - 98.4	50	90.5	83.9 - 94.6	63	93.3	89.6 - 95.8	90	93.1	90.4 - 95.1	203
i. Ensuring access to preventive medications before physical activity	97.9	92.2 - 99.5	49	87.5	80.2 - 92.3	63	88.5	83.4 - 92.2	89	90.5	87.4 - 92.9	201

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. More than once per year	2.0	0.5 - 7.4	51	11.2	6.7 - 18.3	63	5.2	2.8 - 9.4	94	6.2	4.2 - 8.9	208
b. Once per year	56.7	46.2 - 66.6	51	54.6	46.1 - 62.9	63	64.6	58.1 - 70.5	94	59.7	55.0 - 64.1	208
c. Less than once per year	23.5	15.6 - 33.7	51	13.6	9.0 - 19.9	63	18.6	14.2 - 23.9	94	18.3	15.0 - 22.1	208
d. No such requirement	17.9	11.3 - 27.1	51	20.6	14.7 - 28.1	63	11.6	8.0 - 16.6	94	15.9	12.8 - 19.5	208

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.8	65.7 - 83.7	50	75.0	68.0 - 80.9	63	67.5	60.5 - 73.7	95	71.7	67.3 - 75.8	208

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	94.5	86.2 - 97.9	37	91.5	83.8 - 95.7	45	96.8	91.8 - 98.8	62	94.6	91.3 - 96.6	144
b. Parents and families	94.5	86.2 - 97.9	37	93.2	85.8 - 96.9	43	96.8	91.8 - 98.8	62	95.1	92.0 - 97.1	142

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.
 N = Unweighted number of observations

NEBRASKA
2010 School Health Profiles Report
Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	25.5	17.4 - 35.6	35	13.3	7.7 - 22.0	44	25.2	18.8 - 32.8	60	21.5	17.4 - 26.3	139
b. Principal	14.3	7.7 - 25.0	35	13.2	7.6 - 22.2	44	26.9	20.0 - 35.3	60	19.4	15.2 - 24.5	139
c. Assistant principal	0.0	†	35	0.0	†	44	0.0	†	60	0.0	†	139
d. School nurse	57.3	46.3 - 67.6	35	71.3	61.6 - 79.4	44	36.1	28.1 - 45.1	60	52.5	47.0 - 57.9	139
e. Other school faculty or staff member	3.0	0.8 - 10.5	35	2.1	0.5 - 7.9	44	11.7	7.6 - 17.5	60	6.5	4.4 - 9.5	139

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	5.9	2.7 - 12.4	52	4.7	2.1 - 9.9	63	10.8	7.3 - 15.5	94	7.7	5.6 - 10.5	209
b. Tobacco-use prevention	11.6	8.5 - 15.7	52	11.2	6.7 - 18.3	63	15.2	10.5 - 21.5	93	13.1	10.3 - 16.6	208
c. Physical activity	27.7	21.6 - 34.6	51	26.1	19.0 - 34.7	63	13.2	8.8 - 19.2	92	20.7	17.2 - 24.6	206
d. Nutrition and healthy eating	35.4	27.5 - 44.1	51	35.2	27.5 - 43.6	63	22.5	17.1 - 29.0	93	29.5	25.5 - 33.8	207
e. Asthma	11.9	6.7 - 20.0	51	6.4	4.1 - 9.8	63	18.1	12.9 - 24.8	94	13.1	10.2 - 16.6	208

NEBRASKA

2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	17.4	10.9 - 26.6	52	16.5	11.9 - 22.6	63	9.7	6.1 - 14.9	94	13.7	10.8 - 17.2	209
b. Tobacco-use prevention	21.3	15.2 - 28.8	52	22.5	16.5 - 29.8	63	17.1	12.3 - 23.2	93	19.8	16.4 - 23.6	208
c. Physical activity	31.6	24.6 - 39.5	51	35.8	28.5 - 43.8	63	13.5	9.8 - 18.4	95	24.6	21.2 - 28.3	209
d. Nutrition and healthy eating	39.2	30.6 - 48.6	51	47.0	38.8 - 55.5	63	24.0	18.4 - 30.7	95	34.6	30.4 - 39.1	209
e. Asthma	13.8	8.9 - 20.9	51	18.0	13.0 - 24.5	63	9.4	6.0 - 14.5	95	13.1	10.4 - 16.3	209