

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	7	0.2
		2	13 years old	25	0.5
		3	14 years old	824	17.6
		4	15 years old	909	24.8
		5	16 years old	997	24.0
		6	17 years old	862	25.8
		7	18 years old or older	202	7.2
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	1,981	48.6
		2	Male	1,839	51.4
			Missing	12	
19-19	Q3	In what grade are you?			
		1	9th grade	1,194	25.5
		2	10th grade	771	24.9
		3	11th grade	1,103	24.3
		4	12th grade	723	25.2
		5	Ungraded or other grade	8	0.2
		Missing	33		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	487	13.8
		2	No	3,308	86.2
		Missing	37		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	10	0.2
		G	2	0.1
		F	7	0.2
		E	2,961	81.5
		EF	1	0.0
		D	51	1.4
		DE	4	0.1
		C	262	7.4
		C E	31	0.7
		CD	2	0.0
		CDE	1	0.0
		CDEFG	1	0.1
		B	95	2.2
		B E	21	0.4
		B D	4	0.1
		B DE	1	0.0
		BC	2	0.0
		BC E	2	0.0
		BCD	1	0.0
		A	125	3.6
		A E	40	1.2
		A D	1	0.0
		A C	14	0.4
		A C H	1	0.1
		A C E	6	0.1
		AB	1	0.0
		AB E	3	0.1
		ABCDE	2	0.1
			180	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	794	30.1
		2 Never wore a helmet	1,607	58.7
		3 Rarely wore a helmet	141	4.9
		4 Sometimes wore a helmet	65	2.3
		5 Most of the time wore a helmet	44	1.5
		6 Always wore a helmet	77	2.5
	Missing	1,104		
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	120	4.8
		2 Rarely	280	10.8
		3 Sometimes	440	16.4
		4 Most of the time	802	29.9
		5 Always	1,077	38.1
	Missing	1,113		
41-41	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	2,062	76.1
		2 1 time	235	8.4
		3 2 or 3 times	259	9.5
		4 4 or 5 times	63	2.3
		5 6 or more times	101	3.7
	Missing	1,112		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	2,497	92.8
		2 1 time	78	3.1
		3 2 or 3 times	70	2.8
		4 4 or 5 times	11	0.3
		5 6 or more times	24	0.9
	Missing	1,152		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,193	81.4
		2 1 day	97	3.8
		3 2 or 3 days	127	5.2
		4 4 or 5 days	40	1.6
		5 6 or more days	196	8.0
		Missing	1,179	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	2,439	90.9
		2 1 day	69	2.9
		3 2 or 3 days	71	2.7
		4 4 or 5 days	24	0.9
		5 6 or more days	58	2.5
		Missing	1,171	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,607	96.2
		2 1 day	28	1.2
		3 2 or 3 days	21	0.9
		4 4 or 5 days	6	0.2
		5 6 or more days	35	1.5
		Missing	1,135	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,623	96.2
		2 1 day	49	1.7
		3 2 or 3 days	27	1.0
		4 4 or 5 days	6	0.2
		5 6 or more days	24	0.8
		Missing	1,103	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,559	93.6
		2 1 time	76	3.0
		3 2 or 3 times	42	1.6
		4 4 or 5 times	17	0.6
		5 6 or 7 times	4	0.1
		6 8 or 9 times	4	0.2
		7 10 or 11 times	3	0.1
		8 12 or more times	21	0.8
		Missing	1,106	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,971	73.3
		2 1 time	315	11.9
		3 2 or 3 times	227	8.7
		4 4 or 5 times	59	2.5
		5 6 or 7 times	25	1.0
		6 8 or 9 times	14	0.5
		7 10 or 11 times	6	0.2
		8 12 or more times	51	1.8
		Missing	1,164	
49-49	Q18	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	2,622	96.9
		2 1 time	51	1.8
		3 2 or 3 times	21	0.9
		4 4 or 5 times	7	0.2
		5 6 or more times	6	0.3
		Missing	1,125	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	2,488	92.6
		2 1 time	144	5.3
		3 2 or 3 times	40	1.3
		4 4 or 5 times	8	0.3
		5 6 or 7 times	2	0.1
		6 8 or 9 times	6	0.2
		7 10 or 11 times	1	0.0
		8 12 or more times	6	0.2
		Missing	1,137	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	291	10.9
		2 No	2,412	89.1
		Missing	1,129	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	222	8.1
		2 No	2,494	91.9
		Missing	1,116	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	636	22.9
		2 No	2,082	77.1
		Missing	1,114	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	451	15.8
		2 No	2,264	84.2
		Missing	1,117	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	572	21.0
		2 No	2,151	79.0
		Missing	1,109	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	384	14.2
		2 No	2,334	85.8
		Missing	1,114	
57-57	Q26	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	297	10.9
		2 No	2,423	89.1
		Missing	1,112	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	2,290	92.3
		2 1 time	96	4.0
		3 2 or 3 times	55	2.4
		4 4 or 5 times	9	0.3
		5 6 or more times	25	1.0
		Missing	1,357	
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	2,288	92.5
		2 Yes	60	2.6
		3 No	122	5.0
		Missing	1,362	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	1,332	38.7
		2 No	2,306	61.3
		Missing	194	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	Q30	How old were you when you smoked a whole cigarette for the first time?			
		1	I have never smoked a whole cigarette	2,604	69.8
		2	8 years old or younger	79	2.4
		3	9 or 10 years old	49	1.4
		4	11 or 12 years old	150	4.4
		5	13 or 14 years old	378	10.8
		6	15 or 16 years old	307	9.2
		7	17 years old or older	53	2.0
		Missing	212		
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	3,150	85.0
		2	1 or 2 days	149	4.4
		3	3 to 5 days	65	1.9
		4	6 to 9 days	42	1.0
		5	10 to 19 days	66	1.9
		6	20 to 29 days	58	1.7
		7	All 30 days	137	4.1
		Missing	165		
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	3,137	85.0
		2	Less than 1 cigarette per day	121	3.6
		3	1 cigarette per day	102	2.7
		4	2 to 5 cigarettes per day	188	5.6
		5	6 to 10 cigarettes per day	63	1.9
		6	11 to 20 cigarettes per day	27	0.7
		7	More than 20 cigarettes per day	15	0.4
		Missing	179		



2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	3,144	84.9
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	64	2.1
		3 I bought them from a vending machine	8	0.2
		4 I gave someone else money to buy them for me	164	4.8
		5 I borrowed (or bummed) them from someone else	144	4.1
		6 A person 18 years old or older gave them to me	47	1.3
		7 I took them from a store or family member	29	0.8
		8 I got them some other way	64	1.8
		Missing	168	
65-65	Q34	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	3,632	96.2
		2 1 or 2 days	50	1.4
		3 3 to 5 days	25	0.7
		4 6 to 9 days	13	0.4
		5 10 to 19 days	11	0.4
		6 20 to 29 days	5	0.2
		7 All 30 days	24	0.7
		Missing	72	
66-66	Q35	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	319	9.3
		2 No	3,356	90.7
		Missing	157	
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	2,936	79.2
		2 Yes	409	11.6
		3 No	313	9.2
		Missing	174	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	3,532	93.6
		2 1 or 2 days	89	2.4
		3 3 to 5 days	38	1.1
		4 6 to 9 days	15	0.3
		5 10 to 19 days	16	0.4
		6 20 to 29 days	13	0.4
		7 All 30 days	56	1.7
		Missing	73	
69-69	Q38	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?		
		1 0 days	3,690	96.9
		2 1 or 2 days	29	0.9
		3 3 to 5 days	17	0.5
		4 6 to 9 days	9	0.2
		5 10 to 19 days	10	0.3
		6 20 to 29 days	5	0.2
		7 All 30 days	35	1.0
		Missing	37	
70-70	Q39	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	3,487	90.4
		2 1 or 2 days	170	4.8
		3 3 to 5 days	74	2.1
		4 6 to 9 days	41	1.2
		5 10 to 19 days	18	0.5
		6 20 to 29 days	10	0.3
		7 All 30 days	25	0.7
		Missing	7	
71-71	Q40	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	1,085	39.4
		2 1 or 2 days	478	17.1
		3 3 to 9 days	386	15.2
		4 10 to 19 days	221	8.6
		5 20 to 39 days	205	8.2
		6 40 to 99 days	145	5.6
		7 100 or more days	142	5.8
		Missing	1,170	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	1,271	44.7
		2 8 years old or younger	142	5.4
		3 9 or 10 years old	97	3.6
		4 11 or 12 years old	189	7.5
		5 13 or 14 years old	523	19.8
		6 15 or 16 years old	434	17.0
		7 17 years old or older	43	1.9
		Missing	1,133	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,900	73.4
		2 1 or 2 days	343	13.7
		3 3 to 5 days	168	6.9
		4 6 to 9 days	65	2.7
		5 10 to 19 days	51	2.0
		6 20 to 29 days	11	0.5
		7 All 30 days	20	0.7
		Missing	1,274	
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	2,259	83.6
		2 1 day	154	6.1
		3 2 days	121	4.8
		4 3 to 5 days	76	3.0
		5 6 to 9 days	34	1.3
		6 10 to 19 days	12	0.6
		7 20 or more days	19	0.6
		Missing	1,157	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,898	72.7
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	18	0.7
		3 I bought it at a restaurant, bar, or club	9	0.5
		4 I bought it at a public event such as a concert or sporting event	8	0.3
		5 I gave someone else money to buy it for me	175	7.7
		6 Someone gave it to me	246	9.5
		7 I took it from a store or family member	71	2.8
		8 I got it some other way	154	5.8
		Missing	1,253	
76-76	Q45	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	2,630	97.0
		2 1 or 2 days	47	2.0
		3 3 to 5 days	9	0.4
		4 6 to 9 days	5	0.1
		5 10 to 19 days	4	0.1
		7 All 30 days	10	0.4
		Missing	1,127	
77-77	Q46	During your life, how many times have you used marijuana?		
		1 0 times	2,053	75.0
		2 1 or 2 times	167	6.2
		3 3 to 9 times	132	5.3
		4 10 to 19 times	77	3.1
		5 20 to 39 times	55	2.1
		6 40 to 99 times	59	2.4
		7 100 or more times	134	5.9
		Missing	1,155	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	2,050	74.7
		2 8 years old or younger	25	1.0
		3 9 or 10 years old	23	0.9
		4 11 or 12 years old	73	2.9
		5 13 or 14 years old	237	9.3
		6 15 or 16 years old	248	9.9
		7 17 years old or older	26	1.2
		Missing	1,150	
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	2,375	87.3
		2 1 or 2 times	125	5.1
		3 3 to 9 times	67	2.7
		4 10 to 19 times	32	1.4
		5 20 to 39 times	34	1.4
		6 40 or more times	50	2.2
		Missing	1,149	
80-80	Q49	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	2,626	97.3
		2 1 or 2 times	25	1.2
		3 3 to 9 times	17	0.7
		4 10 to 19 times	10	0.4
		5 20 to 39 times	2	0.1
		6 40 or more times	9	0.3
		Missing	1,143	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,552	95.8
		2 1 or 2 times	45	1.8
		3 3 to 9 times	23	1.0
		4 10 to 19 times	10	0.4
		5 20 to 39 times	7	0.3
		6 40 or more times	19	0.8
		Missing	1,176	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q51	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,663	98.4
		2 1 or 2 times	16	0.7
		3 3 to 9 times	6	0.2
		4 10 to 19 times	5	0.2
		5 20 to 39 times	3	0.1
		6 40 or more times	10	0.4
	Missing	1,129		
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	2,450	90.3
		2 1 or 2 times	117	4.5
		3 3 to 9 times	69	2.4
		4 10 to 19 times	30	1.3
		5 20 to 39 times	18	0.6
		6 40 or more times	21	0.9
	Missing	1,127		
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,647	98.1
		2 1 or 2 times	11	0.4
		3 3 to 9 times	9	0.3
		4 10 to 19 times	9	0.4
		5 20 to 39 times	4	0.1
		6 40 or more times	15	0.6
	Missing	1,137		
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	2,641	97.3
		2 1 or 2 times	28	1.1
		3 3 to 9 times	16	0.5
		4 10 to 19 times	5	0.2
		5 20 to 39 times	5	0.2
		6 40 or more times	17	0.7
	Missing	1,120		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,600	95.5
		2 1 or 2 times	61	2.4
		3 3 to 9 times	18	0.7
		4 10 to 19 times	10	0.4
		5 20 to 39 times	4	0.2
		6 40 or more times	19	0.7
	Missing	1,120		
87-87	Q56	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	2,644	97.2
		2 1 or 2 times	21	0.8
		3 3 to 9 times	24	1.0
		4 10 to 19 times	4	0.1
		5 20 to 39 times	4	0.2
		6 40 or more times	16	0.7
	Missing	1,119		
88-88	Q57	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	2,407	87.6
		2 1 or 2 times	127	4.9
		3 3 to 9 times	76	2.9
		4 10 to 19 times	33	1.5
		5 20 to 39 times	26	1.1
		6 40 or more times	50	2.1
	Missing	1,113		
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,664	98.1
		2 1 time	22	0.9
		3 2 or more times	28	1.0
	Missing	1,118		
90-90	Q59	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	522	20.3
		2 No	2,172	79.7
	Missing	1,138		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	873	37.1
		2 No	1,628	62.9
		Missing	1,331	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,629	62.8
		2 11 years old or younger	61	2.7
		3 12 years old	28	1.1
		4 13 years old	88	3.8
		5 14 years old	228	9.4
		6 15 years old	255	10.7
		7 16 years old	161	6.9
		8 17 years old or older	55	2.6
Missing	1,327			
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,626	62.9
		2 1 person	350	14.6
		3 2 people	176	7.4
		4 3 people	106	4.5
		5 4 people	84	4.0
		6 5 people	34	1.4
		7 6 or more people	122	5.3
Missing	1,334			
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,629	62.9
		2 I have had sexual intercourse, but not during the past 3 months	233	10.1
		3 1 person	489	20.3
		4 2 people	83	3.9
		5 3 people	27	1.0
		6 4 people	9	0.4
		7 5 people	4	0.2
		8 6 or more people	29	1.2
Missing	1,329			



2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,627	63.0
		2 Yes	144	6.6
		3 No	724	30.3
		Missing	1,337	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,625	63.4
		2 Yes	551	23.4
		3 No	302	13.2
		Missing	1,354	
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,627	63.4
		2 No method was used to prevent pregnancy	114	5.3
		3 Birth control pills	167	7.0
		4 Condoms	410	17.5
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	35	1.3
		6 Withdrawal	80	3.5
		7 Some other method	18	0.7
		8 Not sure	30	1.3
Missing	1,351			
98-98	Q67	How do you describe your weight?		
		1 Very underweight	92	2.5
		2 Slightly underweight	449	12.1
		3 About the right weight	2,165	56.8
		4 Slightly overweight	924	24.0
		5 Very overweight	160	4.6
Missing	42			

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	1,635	43.0
		2 Gain weight	534	14.5
		3 Stay the same weight	792	20.5
		4 I am not trying to do anything about my weight	838	22.0
		Missing	33	
100-100	Q69	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	426	11.2
		2 No	3,359	88.8
		Missing	47	
101-101	Q70	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	179	4.7
		2 No	3,609	95.3
		Missing	44	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	152	3.9
		2 No	3,620	96.1
		Missing	60	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	815	21.8
		2 1 to 3 times during the past 7 days	1,467	37.8
		3 4 to 6 times during the past 7 days	652	17.3
		4 1 time per day	322	8.5
		5 2 times per day	295	7.6
		6 3 times per day	106	2.9
		7 4 or more times per day	153	4.0
		Missing	22	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
104-104	Q73	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	439	12.1
		2	1 to 3 times during the past 7 days	1,482	39.4
		3	4 to 6 times during the past 7 days	819	21.4
		4	1 time per day	389	10.1
		5	2 times per day	381	9.8
		6	3 times per day	150	3.7
		7	4 or more times per day	135	3.5
		Missing	37		
105-105	Q74	During the past 7 days, how many times did you eat green salad?			
		1	I did not eat green salad during the past 7 days	1,515	39.8
		2	1 to 3 times during the past 7 days	1,489	38.9
		3	4 to 6 times during the past 7 days	424	11.3
		4	1 time per day	252	6.8
		5	2 times per day	62	1.7
		6	3 times per day	18	0.4
		7	4 or more times per day	39	1.1
		Missing	33		
106-106	Q75	During the past 7 days, how many times did you eat potatoes?			
		1	I did not eat potatoes during the past 7 days	1,031	27.0
		2	1 to 3 times during the past 7 days	1,989	51.7
		3	4 to 6 times during the past 7 days	510	13.9
		4	1 time per day	157	4.3
		5	2 times per day	63	1.7
		6	3 times per day	11	0.2
		7	4 or more times per day	46	1.2
		Missing	25		
107-107	Q76	During the past 7 days, how many times did you eat carrots?			
		1	I did not eat carrots during the past 7 days	1,994	52.8
		2	1 to 3 times during the past 7 days	1,353	35.6
		3	4 to 6 times during the past 7 days	249	6.5
		4	1 time per day	113	3.0
		5	2 times per day	33	0.9
		6	3 times per day	14	0.3
		7	4 or more times per day	37	1.0
		Missing	39		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	613	16.8
		2 1 to 3 times during the past 7 days	1,543	40.6
		3 4 to 6 times during the past 7 days	871	22.8
		4 1 time per day	381	10.1
		5 2 times per day	250	6.4
		6 3 times per day	70	1.7
		7 4 or more times per day	63	1.7
		Missing	41	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	728	18.7
		2 1 to 3 times during the past 7 days	1,343	34.6
		3 4 to 6 times during the past 7 days	770	20.4
		4 1 time per day	354	9.3
		5 2 times per day	294	8.1
		6 3 times per day	145	3.9
		7 4 or more times per day	169	5.0
		Missing	29	
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	384	10.4
		2 1 day	286	7.7
		3 2 days	294	7.6
		4 3 days	437	11.5
		5 4 days	346	9.0
		6 5 days	570	14.7
		7 6 days	406	11.0
		8 7 days	1,050	28.0
		Missing	59	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	512	13.6
		2 Less than 1 hour per day	794	20.6
		3 1 hour per day	727	19.3
		4 2 hours per day	816	21.2
		5 3 hours per day	517	13.9
		6 4 hours per day	211	5.5
		7 5 or more hours per day	200	5.8
		Missing	55	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	679	18.0
		2 Less than 1 hour per day	902	24.0
		3 1 hour per day	761	19.7
		4 2 hours per day	648	17.3
		5 3 hours per day	363	9.5
		6 4 hours per day	174	4.6
		7 5 or more hours per day	252	7.0
		Missing	53	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	1,962	51.9
		2 1 day	89	2.6
		3 2 days	109	2.8
		4 3 days	300	7.9
		5 4 days	57	1.3
		6 5 days	1,217	33.5
		Missing	98	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	1,347	37.1
		2 1 team	919	24.0
		3 2 teams	641	16.8
		4 3 or more teams	830	22.0
		Missing	95	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
115-115	Q84	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	2,096	78.5
		2 No	321	12.2
		3 Not sure	242	9.3
		Missing	1,173	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	499	19.2
		2 No	2,067	77.0
		3 Not sure	101	3.7
		Missing	1,165	
117-117	Q86	Do you still have asthma?		
		1 I have never had asthma	1,699	62.7
		2 Yes	445	16.9
		3 No	343	13.1
		4 Not sure	191	7.3
	Missing	1,154		
118-118	Q87	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 0 days	1,545	55.0
		2 1 or 2 days	331	12.5
		3 3 to 5 days	162	6.2
		4 6 to 9 days	106	3.9
		5 10 to 19 days	145	5.3
		6 20 to 29 days	145	5.6
		7 All 30 days	292	11.3
	Missing	1,106		
119-119	Q88	During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?		
		1 0 days	1,424	50.6
		2 1 or 2 days	406	15.4
		3 3 to 5 days	242	9.3
		4 6 to 9 days	201	7.5
		5 10 to 19 days	171	6.3
		6 20 to 29 days	111	4.3
		7 All 30 days	166	6.6
	Missing	1,111		

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
120-120	Q89	During the past 30 days, what is the greatest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1 I did not drink alcohol during the past 30 days	1,907	73.1
		2 1 or 2 drinks	252	9.7
		3 3 drinks	77	3.1
		4 4 drinks	48	2.1
		5 5 drinks	71	2.8
		6 6 or 7 drinks	73	3.1
		7 8 or 9 drinks	47	1.8
		8 10 or more drinks	106	4.4
		Missing	1,251	
121-121	Q90	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,938	73.5
		2 I do not have a usual type	78	3.1
		3 Beer	159	6.4
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	99	3.7
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	26	1.0
		6 Wine	16	0.6
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	260	10.2
		8 Some other type	35	1.4
		Missing	1,221	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 30 days, where did you usually drink alcohol?		
		1 I did not drink alcohol during the past 30 days	1,936	73.6
		2 At my home	150	5.7
		3 At another person's home	394	15.9
		4 While riding in or driving a car or other vehicle	54	2.1
		5 At a restaurant, bar, or club	10	0.4
		6 At a public place such as a park, beach, or parking lot	37	1.3
		7 At a public event such as a concert or sporting event	8	0.3
		8 On school property	14	0.6
		Missing	1,229	
123-123	Q92	During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde?		
		1 I did not drink sports drinks during the past 7 days	846	31.2
		2 1 to 3 times during the past 7 days	954	35.3
		3 4 to 6 times during the past 7 days	448	16.4
		4 1 time per day	188	6.9
		5 2 times per day	133	5.0
		6 3 times per day	50	2.0
		7 4 or more times per day	78	3.2
		Missing	1,135	
124-124	Q93	During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, Sunny Delight, or energy drinks such as Red Bull?		
		1 I did not drink sugar-sweetened beverages during the past 7 days	832	30.6
		2 1 to 3 times during the past 7 days	1,152	43.7
		3 4 to 6 times during the past 7 days	346	12.8
		4 1 time per day	139	5.2
		5 2 times per day	73	2.9
		6 3 times per day	42	1.5
		7 4 or more times per day	76	3.3
		Missing	1,172	



2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	384	14.7
		2 1 to 3 glasses during the past 7 days	556	20.7
		3 4 to 6 glasses during the past 7 days	464	17.1
		4 1 glass per day	422	15.5
		5 2 glasses per day	440	16.3
		6 3 glasses per day	250	8.9
		7 4 or more glasses per day	182	6.7
		Missing	1,134	
126-126	Q95	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	608	23.0
		2 1 day	256	9.0
		3 2 days	285	10.3
		4 3 days	324	11.8
		5 4 days	232	8.5
		6 5 days	474	17.9
		7 6 days	112	4.4
		8 7 days	394	15.1
		Missing	1,147	
127-127	Q96	During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?		
		1 I do not take PE	1,297	47.8
		2 Less than 10 minutes	60	2.3
		3 10 to 20 minutes	85	3.2
		4 21 to 30 minutes	159	6.0
		5 31 to 40 minutes	343	12.7
		6 41 to 50 minutes	346	13.1
		7 51 to 60 minutes	168	6.3
		8 More than 60 minutes	224	8.7
		Missing	1,150	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	2,030	75.1
		2 Between 12 and 24 months ago	281	11.1
		3 More than 24 months ago	101	4.1
		4 Never	44	1.8
		5 Not sure	208	7.9
		Missing	1,168	
129-129	Q98	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?		
		1 0 times	2,193	81.5
		2 1 or 2 times	126	5.0
		3 3 to 9 times	135	5.1
		4 10 to 19 times	102	3.7
		5 20 to 39 times	83	3.2
		6 40 or more times	47	1.6
		Missing	1,146	
130-130	Q99	Have you ever talked about AIDS or HIV infection with your parents or other adults in your family?		
		1 Yes	997	38.1
		2 No	1,427	53.4
		3 Not sure	235	8.5
		Missing	1,173	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,748	91.0
		2 No	186	9.0
		Missing	1,898	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	400	15.7
		2 No	2,319	84.3
		Missing	1,113	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
187-187	QN10	Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol		
		1 Yes	658	23.9
		2 No	2,062	76.1
		Missing	1,112	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	183	7.2
		2 No	2,497	92.8
		Missing	1,152	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	460	18.6
		2 No	2,193	81.4
		Missing	1,179	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	222	9.1
		2 No	2,439	90.9
		Missing	1,171	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	90	3.8
		2 No	2,607	96.2
		Missing	1,135	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	106	3.8
		2 No	2,623	96.2
		Missing	1,103	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	167	6.4
		2 No	2,559	93.6
		Missing	1,106	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	697	26.7
		2 No	1,971	73.3
		Missing	1,164	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse		
		1 Yes	85	3.1
		2 No	2,622	96.9
		Missing	1,125	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	207	7.4
		2 No	2,488	92.6
		Missing	1,137	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	291	10.9
		2 No	2,412	89.1
		Missing	1,129	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	222	8.1
		2 No	2,494	91.9
		Missing	1,116	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	636	22.9
		2 No	2,082	77.1
		Missing	1,114	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	451	15.8
		2 No	2,264	84.2
		Missing	1,117	
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	572	21.0
		2 No	2,151	79.0
		Missing	1,109	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	384	14.2
		2 No	2,334	85.8
		Missing	1,114	
203-203	QN26	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	297	10.9
		2 No	2,423	89.1
		Missing	1,112	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	185	7.7
		2 No	2,290	92.3
		Missing	1,357	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	60	2.6
		2 No	2,410	97.4
		Missing	1,362	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	1,332	38.7
		2 No	2,306	61.3
		Missing	194	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	278	8.2
		2 No	3,342	91.8
		Missing	212	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	517	15.0
		2 No	3,150	85.0
		Missing	165	
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	38	7.1
		2 No	473	92.9
		Missing	3,321	
210-210	QN33	Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	25	5.1
		2 No	444	94.9
		Missing	3,363	
211-211	QN34	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	128	3.8
		2 No	3,632	96.2
		Missing	72	
212-212	QN35	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	319	9.3
		2 No	3,356	90.7
		Missing	157	
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	298	57.7
		2 No	208	42.3
		Missing	3,326	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	227	6.4
		2 No	3,532	93.6
		Missing	73	
215-215	QN38	Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days		
		1 Yes	105	3.1
		2 No	3,690	96.9
		Missing	37	
216-216	QN39	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	338	9.6
		2 No	3,487	90.4
		Missing	7	
217-217	QN40	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	1,577	60.6
		2 No	1,085	39.4
		Missing	1,170	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	428	16.5
		2 No	2,271	83.5
		Missing	1,133	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	658	26.6
		2 No	1,900	73.4
		Missing	1,274	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	416	16.4
		2 No	2,259	83.6
		Missing	1,157	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	238	35.2
		2 No	417	64.8
		Missing	3,177	
222-222	QN45	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	75	3.0
		2 No	2,630	97.0
		Missing	1,127	
223-223	QN46	Percentage of students who used marijuana one or more times during their life		
		1 Yes	624	25.0
		2 No	2,053	75.0
		Missing	1,155	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	121	4.9
		2 No	2,561	95.1
		Missing	1,150	
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	308	12.7
		2 No	2,375	87.3
		Missing	1,149	
226-226	QN49	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	63	2.7
		2 No	2,626	97.3
		Missing	1,143	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	104	4.2
		2 No	2,552	95.8
		Missing	1,176	



2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	40	1.6
		2 No	2,663	98.4
		Missing	1,129	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	255	9.7
		2 No	2,450	90.3
		Missing	1,127	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	48	1.9
		2 No	2,647	98.1
		Missing	1,137	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	71	2.7
		2 No	2,641	97.3
		Missing	1,120	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	112	4.5
		2 No	2,600	95.5
		Missing	1,120	
233-233	QN56	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	69	2.8
		2 No	2,644	97.2
		Missing	1,119	
234-234	QN57	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	312	12.4
		2 No	2,407	87.6
		Missing	1,113	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	50	1.9
		2 No	2,664	98.1
		Missing	1,118	
236-236	QN59	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	522	20.3
		2 No	2,172	79.7
		Missing	1,138	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	873	37.1
		2 No	1,628	62.9
		Missing	1,331	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	89	3.8
		2 No	2,416	96.2
		Missing	1,327	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	240	10.6
		2 No	2,258	89.4
		Missing	1,334	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	641	27.0
		2 No	1,862	73.0
		Missing	1,329	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	113	19.8
		2 No	521	80.2
		Missing	3,198	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	386	62.0
		2 No	236	38.0
		Missing	3,210	
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	135	21.9
		2 No	482	78.1
		Missing	3,215	
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	1,084	28.5
		2 No	2,706	71.5
		Missing	42	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	1,635	43.0
		2 No	2,164	57.0
		Missing	33	
246-246	QN69	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	426	11.2
		2 No	3,359	88.8
		Missing	47	
247-247	QN70	Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	179	4.7
		2 No	3,609	95.3
		Missing	44	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	152	3.9
		2 No	3,620	96.1
		Missing	60	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	2,995	78.2
		2 No	815	21.8
		Missing	22	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	3,356	87.9
		2 No	439	12.1
		Missing	37	
251-251	QN74	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	2,284	60.2
		2 No	1,515	39.8
		Missing	33	
252-252	QN75	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	2,776	73.0
		2 No	1,031	27.0
		Missing	25	
253-253	QN76	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	1,799	47.2
		2 No	1,994	52.8
		Missing	39	
254-254	QN77	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	3,178	83.2
		2 No	613	16.8
		Missing	41	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	962	26.2
		2 No	2,841	73.8
		Missing	29	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	2,026	53.7
		2 No	1,747	46.3
		Missing	59	
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	928	25.2
		2 No	2,849	74.8
		Missing	55	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	789	21.1
		2 No	2,990	78.9
		Missing	53	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,772	48.1
		2 No	1,962	51.9
		Missing	98	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	2,390	62.9
		2 No	1,347	37.1
		Missing	95	
261-261	QN84	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	2,096	78.5
		2 No	563	21.5
		Missing	1,173	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	499	19.2
		2 No	2,168	80.8
		Missing	1,165	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
263-263	QN86	Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma		
		1 Yes	256	9.6
		2 No	2,404	90.4
		Missing	1,172	
264-264	QN87	Percentage of students who texted or e-mailed while driving a car or other vehicle on one or more of the past 30 days		
		1 Yes	1,181	45.0
		2 No	1,545	55.0
		Missing	1,106	
265-265	QN88	Percentage of students who talked on a cell phone while driving a car or other vehicle on one or more of the past 30 days		
		1 Yes	1,297	49.4
		2 No	1,424	50.6
		Missing	1,111	
266-266	QN89	Percentage of students who had five or more alcoholic drinks at most in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	297	12.0
		2 No	2,284	88.0
		Missing	1,251	
267-267	QN90	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	260	38.5
		2 No	413	61.5
		Missing	3,159	
268-268	QN91	Among students who drank alcohol during the past 30 days, the percentage who reported their home or another person's home as their usual place they usually drank alcohol during the past 30 days		
		1 Yes	544	81.6
		2 No	123	18.4
		Missing	3,165	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
269-269	QN92	Percentage of students who drank a can, bottle, or glass of a sports drink such as Gatorade or PowerAde one or more times per day during the past seven days		
		1 Yes	449	17.1
		2 No	2,248	82.9
		Missing	1,135	
270-270	QN93	Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, Sunny Delight, or energy drinks such as Red Bull one or more times per day during the past seven days		
		1 Yes	330	13.0
		2 No	2,330	87.0
		Missing	1,172	
271-271	QN94	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	432	15.6
		2 No	2,266	84.4
		Missing	1,134	
272-272	QN95	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	1,536	57.7
		2 No	1,149	42.3
		Missing	1,147	
273-273	QN96	Percentage of students who spend more than 20 minutes actually exercising or playing sports during an average physical education (PE) class		
		1 Yes	1,240	46.8
		2 No	1,442	53.2
		Missing	1,150	
274-274	QN97	Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months		
		1 Yes	2,030	75.1
		2 No	634	24.9
		Missing	1,168	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
275-275	QN98	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	493	18.5
		2 No	2,193	81.5
		Missing	1,146	
276-276	QN99	Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family		
		1 Yes	997	38.1
		2 No	1,662	61.9
		Missing	1,173	
350-350	QNFRDIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	195	5.8
		2 No	3,472	94.2
		Missing	165	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	643	18.9
		2 No	2,968	81.1
		Missing	221	
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	31	4.5
		2 No	586	95.5
		Missing	3,215	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	166	26.5
		2 No	451	73.5
		Missing	3,215	



2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNDUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	85	13.7
		2 No	525	86.3
		Missing	3,222	
355-355	QNFRVG	Percentage of students who ate fruits and vegetables five or more times per day during the past seven days		
		1 Yes	635	16.5
		2 No	3,100	83.5
		Missing	97	
356-356	QNFRVG2	Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days		
		1 Yes	307	8.0
		2 No	3,428	92.0
		Missing	97	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	1,042	26.9
		2 No	2,747	73.1
		Missing	43	
358-358	QNVEG	Percentage of students who ate vegetables three or more times per day during the past seven days		
		1 Yes	462	12.2
		2 No	3,296	87.8
		Missing	74	
359-359	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	1,217	33.5
		2 No	2,517	66.5
		Missing	98	
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	384	10.4
		2 No	3,389	89.6
		Missing	59	

2010 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	1,050	28.0
		2 No	2,723	72.0
		Missing	59	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	477	13.6
		2 No	2,994	86.4
		Missing	361	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	391	11.6
		2 No	3,080	88.4
		Missing	361	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH			
		1 Am Indian / Alaska Native	64	1.6
		2 Asian	80	1.7
		3 Black or African American	235	6.4
		4 Native Hawaiian/other PI	15	0.3
		5 White	2,775	73.8
		6 Hispanic/Latino	149	4.2
		7 Multiple - Hispanic	333	9.5
		8 Multiple - non-Hispanic	110	2.5
Missing	71			