	High Schools			Middle Schools				r/Senior Hig Schools	h	All Schools		
	Percent	95% Conf. Interval	Ν	Percent	95% Conf. Interval	Ν	Percent	95% Conf. Interval	Ν	Percent	95% Conf. Interval	Ν
Supportive School Nutrition Environment SSNE 1 (2.3.04). Percentage of schools that do not sell less healthy foods and beverages (soda pop or fruit drinks, sports drinks, baked goods, salty snacks, candy).	31.3	24.1 - 39.6	59	60.8	53.5 - 67.7	70	40.7	34.5 - 47.3	93	44.9	40.8 - 49.0	222
SSNE 2 (2.3.06). Percentage of schools that prohibit all forms of advertising and promotion for candy, fast food restaurants, or soft drinks.	23.9	17.8 - 31.4	59	52.6	45.9 - 59.1	71	36.8	30.3 - 43.8	96	38.7	34.8 - 42.7	226
SSNE 3 (2.3.07). Percentage of schools that price nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages.	7.1	3.7 - 13.3	59	8.9	5.4 - 14.4	71	9.2	5.9 - 14.0	96	8.6	6.4 - 11.4	226
SSNE 4 (2.3.08). Percentage of schools that provide information to students or families on the nutrition, caloric, and sodium content of foods available.	55.9	47.4 - 64.1	59	54.7	46.6 - 62.6	71	46.5	39.9 - 53.3	95	51.6	47.2 - 56.0	225

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	Ν	Percent	95% Conf. Interval	Ν	
SSNE 5 (2.3.09). Percentage of schools that place fruits and vegetables near the cafeteria cashier, where they are easy to access.	86.4	78.9 - 91.5	59	74.4	66.2 - 81.2	71	77.4	71.6 - 82.4	93	78.7	74.8 - 82.2	223	
SSNE 6 (2.3.10). Percentage of schools that allow students to have access to drinking water.	84.3	76.4 - 90.0	58	75.3	67.3 - 81.9	63	77.1	70.9 - 82.3	88	78.5	74.5 - 82.0	209	
SSNE 7 (2.3.11). Percentage of schools that offer fruits or non-fried vegetables when foods or beverages are offered at school celebrations.	13.6	8.5 - 21.1	59	19.6	13.9 - 26.9	71	22.9	17.5 - 29.5	96	19.5	16.1 - 23.4	226	
SSNE 8 (2.3.12). Percentage of schools that allow students to purchase fruits and vegetables from vending machines or at the school store, canteen, or snack bar, or as a la carte items.	17.0	13.6 - 21.0	58	6.2	3.2 - 11.8	70	5.3	3.0 - 9.4	94	8.6	6.7 - 10.9	222	

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	Ν	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	
Comprehensive School Physical Activity Program CSPAP (2.6.03). Percentage of schools that have established, implemented, and/or evaluated CSPAP.	1.6	0.4 - 5.8	58	7.1	3.9 - 12.5	71	0.0	†	94	2.7	1.6 - 4.7	223	

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
	Percent	95% Conf. Interval	Ν	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	Ν	
Students with Chronic Conditions SWCC 1 (4.5.02). Percentage of schools that identify and track students with chronic conditions that may require daily or emergency management (e.g., asthma, food allergies).	100.0	t	58	100.0	ţ	72	98.9	96.1 - 99.7	95	99.5	98.4 - 99.9	225	
SWCC 2 (4.5.05). Percentage of schools that have protocols that ensure students identified with a chronic condition that may require daily or emergency management are enrolled into private, state, or federally funded insurance programs if eligible.	65.2	58.2 - 71.6	57	62.3	56.2 - 68.0	70	58.2	51.5 - 64.6	93	61.3	57.4 - 65.0	220	
SWCC 3 (4.5.08). Percentage of schools that provide students with referrals to community-based medical care providers for students identified with chronic conditions or at risk for activity, diet, and weight-related chronic conditions.	59.4	51.1 - 67.2	57	61.8	54.1 - 68.9	72	53.2	46.5 - 59.8	94	57.6	53.3 - 61.8	223	