2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	Α	All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a. Physical activity	52.6	44.4 - 60.7	55	42.2	35.5 - 49.1	67	34.1	27.6 - 41.4	91	41.4	37.2 - 45.7	213
b. Nutrition	49.2	41.0 - 57.4	55	39.0	31.6 - 47.0	67	35.2	28.5 - 42.6	91	39.9	35.6 - 44.5	213
c. Tobacco-use prevention	49.6	41.7 - 57.4	56	38.8	32.5 - 45.5	67	29.8	23.8 - 36.7	91	37.7	33.8 - 41.8	214
d. Asthma	40.1	32.0 - 48.9	55	25.6	19.8 - 32.4	67	26.4	20.4 - 33.5	91	29.6	25.6 - 33.8	213
e. Injury and violence prevention	42.5	34.2 - 51.3	56	28.3	22.3 - 35.2	68	27.6	21.4 - 34.7	91	31.6	27.6 - 35.8	215
f. HIV, STD, and teen pregnancy prevention	36.8	28.9 - 45.6	57	22.2	16.4 - 29.3	67	25.4	19.5 - 32.5	91	27.3	23.4 - 31.5	215

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

		High Schools		Mie	Idle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools		
		_	95% Confidence			95% Confidence		_	95% Confidence		_	95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Health education	42.8	33.7 - 52.3	57	40.3	32.5 - 48.7	72	27.4	21.1 - 34.7	91	35.6	31.1 - 40.3	220
b.	Physical education	37.5	28.9 - 46.9	57	38.4	31.2 - 46.1	72	25.2	19.2 - 32.2	91	32.7	28.5 - 37.2	220
c.	Physical activity	31.9	24.2 - 40.8	57	38.2	30.5 - 46.7	72	24.1	18.6 - 30.6	91	30.8	26.7 - 35.3	220
d.	School meal programs	32.5	24.8 - 41.4	57	32.9	25.3 - 41.5	72	25.1	19.1 - 32.1	91	29.6	25.4 - 34.1	220
e.	Foods and beverages available at school outside the school meal programs	28.9	21.8 - 37.2	57	33.5	25.6 - 42.4	72	17.6	12.6 - 24.0	91	25.8	21.8 - 30.2	220
f.	Health services	36.1	28.2 - 44.9	56	30.6	23.5 - 38.9	72	24.1	18.6 - 30.6	91	29.3	25.3 - 33.6	219
g.	Counseling, psychological, and social services	44.3	36.1 - 52.7	57	36.2	28.9 - 44.2	72	24.1	18.3 - 31.0	91	33.2	29.1 - 37.6	220
h.	Physical environment	42.8	34.7 - 51.2	57	42.1	34.4 - 50.2	71	38.4	31.8 - 45.5	91	40.7	36.4 - 45.2	219
i.	Social and emotional climate	45.5	37.9 - 53.3	57	48.1	41.1 - 55.2	72	42.8	35.6 - 50.4	91	45.3	41.0 - 49.6	220
j.	Family engagement	43.7	35.7 - 52.0	57	50.0	41.4 - 58.6	72	38.6	32.0 - 45.6	91	43.7	39.2 - 48.3	220
k.	Community involvement	47.1	38.8 - 55.5	57	48.9	40.4 - 57.5	72	39.6	32.9 - 46.8	91	44.6	40.1 - 49.3	220
1.	Employee wellness	36.6	28.5 - 45.4	57	33.2	26.0 - 41.3	72	26.3	20.2 - 33.5	91	31.2	27.0 - 35.7	220

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
57.3	48.0 - 66.0	58	48.5	40.9 - 56.1	67	42.6	35.6 - 50.0	89	48.4	43.8 - 52.9	214

*Among schools that engaged in an improvement planning process during the past year.

N = Unweighted number of observations

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%		95%		95%			95%			
	Confidence Confidence Confidence									Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
93.3	89.3 - 95.9	59	87.4	82.6 - 91.1	72	90.6	85.7 - 93.9	95	90.2	87.6 - 92.3	226

2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
65.9	58.9 - 72.3	59	60.4	52.9 - 67.4	72	55.5	48.8 - 62.0	94	59.7	55.6 - 63.7	225

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

		High Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Identified student health needs based on a review of relevant data	66.6	56.1 - 75.6	39	59.0	48.3 - 68.9	43	62.6	54.7 - 69.9	51	62.6	57.1 - 67.8	133
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	70.9	60.4 - 79.6	38	64.5	55.2 - 72.7	43	64.0	54.2 - 72.7	50	66.1	60.5 - 71.3	131
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	52.4	42.6 - 62.0	38	57.1	46.7 - 66.9	43	45.4	36.1 - 55.1	51	51.2	45.5 - 56.9	132
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	81.0	71.5 - 87.9	37	85.9	76.7 - 91.8	43	84.4	76.5 - 90.0	51	84.0	79.2 - 87.8	131
e.	Reviewed health-related curricula or instructional materials	63.0	53.2 - 71.8	39	73.8	63.9 - 81.8	43	58.7	50.2 - 66.6	51	64.9	59.6 - 69.8	133
f.	Assessed the availability of physical activity opportunities for students	65.3	53.6 - 75.4	38	77.1	67.6 - 84.4	40	66.5	57.9 - 74.2	51	69.5	64.0 - 74.5	129
g.	Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	28.0	20.9 - 36.3	38	31.3	22.8 - 41.3	42	29.9	22.1 - 39.1	50	29.8	25.0 - 35.1	130

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools		
	95% 95% Confidence Confidence						95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
64.6	57.0 - 71.4	56	45.6	38.2 - 53.3	66	33.4	27.8 - 39.6	93	45.1	41.2 - 49.1	215	

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	H	igh Schools		Mi	ddle Schools		Junio	or/Senior Hig Schools	h	А	ll Schools	
		95%			95%			95%			95%	
		Confidence			Confidence			Confidence			Confidence	
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. Lessons in class	87.3	81.2 - 91.6	58	85.0	78.0 - 90.0	71	92.6	88.9 - 95.2	95	88.8	85.8 - 91.2	224
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	66.8	58.2 - 74.4	58	62.3	55.3 - 68.9	70	50.1	43.4 - 56.9	94	58.3	54.1 - 62.4	222

2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

Н	igh Schools		Mic	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
41.1	33.8 - 48.8	59	10.5	6.5 - 16.4	72	5.1	2.8 - 9.0	96	15.9	13.3 - 18.8	227

2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, trangender, or questioning (LGBTQ) youth.

		High Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	А	ll Schools		
		Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	78.4	70.2 - 84.8	58	64.1	57.0 - 70.7	70	53.4	47.3 - 59.3	94	63.2	59.2 - 67.0	222
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	94.8	89.2 - 97.5	58	97.4	93.6 - 99.0	71	87.5	82.6 - 91.2	95	92.5	90.0 - 94.5	224
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	56.4	47.9 - 64.4	57	59.5	51.4 - 67.1	71	62.0	56.1 - 67.7	92	59.8	55.6 - 63.8	220
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	46.0	37.2 - 55.1	56	45.1	37.9 - 52.5	71	36.4	31.1 - 42.0	94	41.6	37.7 - 45.7	221
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	50.5	41.8 - 59.2	57	47.4	38.6 - 56.4	71	36.4	30.8 - 42.3	94	43.5	39.2 - 48.0	222

2016 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
89.0	81.8 - 93.6	58	81.3	74.2 - 86.8	70	85.3	80.0 - 89.4	96	85.0	81.5 - 87.9	224

2016 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence Confidence						Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
91.6	86.9 - 94.7	58	93.2	88.5 - 96.0	70	90.5	87.0 - 93.1	96	91.6	89.4 - 93.4	224

2016 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

Н	igh Schools		Mie	ddle Schools		Junior/Se	nior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent					Ν	Percent	Interval	Ν
93.2	93.2 87.2 - 96.5 59 8		85.9	80.2 - 90.2	69	95.8	92.0 - 97.8	96	92.0	89.4 - 94.0	224

2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools		Mid	dle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools		
	Percent	95% Confidence Percent Interval N			95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	100.0	Ť	52	-	-	0	-	-	52
b. Seventh grade	§	ş	§	100.0	Ť	70	98.9	96.2 - 99.7	96	99.4	97.8 - 99.8	166
c. Eighth grade	§	§	§	100.0	Ť	69	98.9	96.2 - 99.7	96	99.4	97.8 - 99.8	165
d. Ninth grade	93.3	87.4 - 96.5	58	-	-	0	90.6	85.8 - 94.0	96	91.6	88.1 - 94.2	154
e. Tenth grade	49.2	40.9 - 57.5	56	§	§	§	37.8	31.1 - 45.1	90	42.1	36.8 - 47.6	146
f. Eleventh grade	25.2	18.2 - 33.9	55	§	§	§	21.6	16.2 - 28.2	88	23.0	18.6 - 28.1	143
g. Twelfth grade	25.6	18.6 - 34.3	54	ş	§	§	22.7	17.5 - 29.0	88	23.8	19.5 - 28.8	142

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	100ls	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval N		Percent	Interval	Ν	Percent	Interval	Ν
84.0	77.0 - 89.2	56	82.5	76.9 - 87.0	67	73.5	67.9 - 78.4	91	79.1	75.7 - 82.0	214

2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

		Hi	High Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N
a.	Goals, objectives, and expected outcomes for physical education	100.0	t	59	95.3	90.1 - 97.8	70	88.6	83.4 - 92.3	96	93.6	91.1 - 95.5	225
b.	A chart describing the annual scope and sequence of instruction for physical education	73.4	66.0 - 79.6	59	79.7	71.4 - 86.1	69	55.4	48.7 - 62.0	96	67.7	63.5 - 71.7	224
c.	Plans for how to assess student performance in physical education	81.9	74.4 - 87.5	59	89.7	82.8 - 94.1	69	67.6	61.1 - 73.5	96	78.3	74.5 - 81.7	224
d.	A written physical education curriculum	95.0	89.6 - 97.6	59	89.2	82.6 - 93.5	69	80.1	73.6 - 85.4	95	86.8	83.3 - 89.7	223
e.	Resources for fitness testing	94.7	89.0 - 97.5	59	96.6	91.7 - 98.7	71	88.4	83.1 - 92.2	96	92.7	89.9 - 94.7	226
f.	Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	67.1	59.8 - 73.7	59	62.8	54.3 - 70.6	68	46.9	40.5 - 53.4	96	57.1	52.8 - 61.2	223

2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
38.0	30.1 - 46.5	59	59 77.1 71.1 - 82.1 72		72	52.9	46.4 - 59.3	96	57.1	53.2 - 60.9	227

2016 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
49.1	42.5 - 55.8	59	66.7	6.7 59.8 - 72.9 72		27.3	22.5 - 32.6	96	45.7	42.2 - 49.2	227

2016 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
92.6	86.2 - 96.2 59 82.5 74.8 - 88.2 7		72	96.8	93.4 - 98.5	96	91.1	88.0 - 93.4	227		

2016 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

Н	igh Schools	High Schools		ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
68.5	60.6 - 75.4	59	9 45.7 37.3 - 54.3 72		72	74.7	68.9 - 79.7	96	63.6	59.5 - 67.6	227	

2016 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
64.3	56.0 - 71.8	58	56.7	56.7 49.1 - 64.0 72		50.0	42.9 - 57.1	96	55.8	51.4 - 60.1	226

2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

Н	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95% 95%						95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent			Percent	Interval	Ν	Percent	Interval	Ν
98.1	93.3 - 99.5	59	97.4 93.6 - 99.0 72		100.0	†	95	98.7	97.2 - 99.4	226	

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		High Schools			Mic	Idle Schools			r/Senior Hig Schools	h	А	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	98.1	93.3 - 99.5	59	94.8	90.2 - 97.3	70	98.9	96.2 - 99.7	92	97.4	95.6 - 98.5	221
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	98.1	93.3 - 99.5	59	94.8	90.2 - 97.3	70	97.9	94.7 - 99.1	92	96.9	95.0 - 98.1	221
c.	Cigars	94.7	91.6 - 96.6	59	93.6	88.7 - 96.4	70	94.7	90.6 - 97.0	92	94.3	92.1 - 95.9	221
d.	Pipes	92.9	88.8 - 95.6	59	91.5	85.8 - 95.1	70	93.6	89.2 - 96.2	92	92.7	90.2 - 94.7	221
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	92.8	86.5 - 96.3	59	89.4	83.0 - 93.5	70	89.0	83.8 - 92.8	91	90.1	87.0 - 92.6	220

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		High Schools			Mic	Idle Schools			r/Senior Hig Schools	h	А	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	98.1	93.3 - 99.5	59	94.8	90.1 - 97.3	69	91.3	86.3 - 94.5	92	94.2	91.7 - 95.9	220
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	98.1	93.3 - 99.5	59	93.3	88.2 - 96.3	67	90.2	85.7 - 93.3	92	93.2	90.8 - 95.1	218
c.	Cigars	94.7	91.6 - 96.6	59	93.4	88.4 - 96.3	68	88.1	82.6 - 92.0	92	91.5	88.8 - 93.6	219
d.	Pipes	92.8	88.6 - 95.5	58	91.3	85.4 - 95.0	68	87.0	81.3 - 91.1	92	89.9	86.8 - 92.2	218
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	92.8	86.5 - 96.3	59	85.7	78.4 - 90.8	68	80.2	73.9 - 85.2	91	85.2	81.6 - 88.2	218

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mic	Idle Schools			r/Senior Hig Schools	h	А	All Schools	
		Percent	95% Confidence Interval	N									
a.	Cigarettes	98.1	93.3 - 99.5	59	93.2	88.2 - 96.2	68	93.4	88.9 - 96.1	92	94.6	92.1 - 96.3	219
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	90.7	85.4 - 94.2	58	87.4	82.1 - 91.3	66	86.9	81.7 - 90.8	92	88.0	85.1 - 90.4	216
c.	Cigars	94.7	91.6 - 96.6	59	90.3	84.7 - 94.1	67	89.1	83.8 - 92.8	92	91.0	88.2 - 93.1	218
d.	Pipes	92.8	88.6 - 95.5	58	88.2	81.8 - 92.6	67	88.0	82.5 - 92.0	92	89.3	86.3 - 91.8	217
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	87.3	82.8 - 90.8	58	81.4	73.8 - 87.3	67	74.5	68.6 - 79.6	91	80.0	76.5 - 83.2	216

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	H	igh Schools		Mie	idle Schools		Junio	r/Senior Hig Schools	h	Α	All Schools	
	95% Confidence Barcont Interval N Pa			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. During school hours	96.2	90.8 - 98.5	59	95.9	91.5 - 98.1	70	100.0	†	92	97.7	95.9 - 98.7	221
b. During non-school hours	92.9	86.7 - 96.3	59	95.9	91.5 - 98.0	69	94.6	90.4 - 97.0	91	94.6	92.1 - 96.3	219

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High	Schools		Mic	Idle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. During school hours	96.2 90	0.8 - 98.5	59	92.5	86.8 - 95.9	69	93.4	88.9 - 96.1	92	93.8	91.2 - 95.7	220
b. During non-school hours	80.4 72	2.5 - 86.4	59	75.3	67.9 - 81.4	69	61.0	54.1 - 67.6	90	70.7	66.6 - 74.6	218

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	Hig	gh Schools		Mie	Idle Schools		Junio	or/Senior Hig Schools	h	А	All Schools	
		95% Confidence Percent Interval N Pe			95% Confidence			95% Confidence			95% Confidence	•
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. During school hours	96.1	90.6 - 98.5	58	89.7	83.5 - 93.8	68	92.3	87.6 - 95.3	92	92.5	89.6 - 94.6	218
b. During non-school hours	80.4	73.4 - 86.0	58	73.6	66.1 - 80.0	68	65.5	58.7 - 71.6	90	72.0	68.0 - 75.7	216

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		Hi	igh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	А	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
					Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	In school buildings	98.1	93.3 - 99.5	59	97.3	93.4 - 98.9	70	100.0	t	92	98.6	97.1 - 99.4	221
b.	Outside on school grounds, including parking lots and playing fields	98.1	93.3 - 99.5	59	97.3	93.4 - 98.9	70	100.0	ŧ	92	98.6	97.1 - 99.4	221
c.	On school buses or other vehicles used to transport students	98.1	93.3 - 99.5	59	97.3	93.4 - 98.9	70	100.0	Ť	92	98.6	97.1 - 99.4	221
d.	At off-campus, school-sponsored events	98.1	93.2 - 99.5	58	97.3	93.4 - 98.9	69	96.7	93.2 - 98.5	92	97.3	95.4 - 98.4	219

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	igh Schools		Mie	ddle Schools			or/Senior Hig Schools	h	Α	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent				Percent	Interval	Ν	Percent	Interval	Ν		
a.	In school buildings	98.1	93.3 - 99.5	59	96.0	91.7 - 98.1	69	100.0	†	90	98.2	96.6 - 99.1	218
b.	Outside on school grounds, including parking lots and playing fields	96.5	91.5 - 98.6	59	94.6	89.8 - 97.2	69	93.2	88.7 - 96.0	90	94.5	92.1 - 96.2	218
c.	On school buses or other vehicles used to transport students	98.1	93.3 - 99.5	59	96.0	91.7 - 98.1	69	98.9	96.1 - 99.7	90	97.8	96.0 - 98.7	218
d.	At off-campus, school-sponsored events	92.8	86.5 - 96.3	58	89.0	82.9 - 93.1	68	85.4	79.8 - 89.6	89	88.5	85.3 - 91.1	215

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		Hi	gh Schools		Mie	ddle Schools			r/Senior Hig Schools	h	А	All Schools	
		Dement	95% Confidence	NT	Demonst	95% Confidence	NT	Demonst	95% Confidence	N	Demonst	95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	In school buildings	98.1	93.3 - 99.5	59	93.9	88.5 - 96.9	68	98.8	95.9 - 99.7	89	97.0	95.0 - 98.3	216
b.	Outside on school grounds, including parking lots and playing fields	89.7	82.8 - 94.0	59	92.4	86.7 - 95.8	68	82.0	75.6 - 87.0	89	87.4	84.0 - 90.2	216
c.	On school buses or other vehicles used to transport students	92.8	86.5 - 96.3	59	91.9	87.7 - 94.8	68	92.1	87.4 - 95.2	89	92.2	89.6 - 94.2	216
d.	At off-campus, school-sponsored events	60.9	51.4 - 69.6	58	60.6	51.6 - 69.0	67	55.7	49.0 - 62.3	88	58.7	54.0 - 63.2	213

2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
54.2	45.6 - 62.7	58	48.8	41.5 - 56.2	66	36.2	29.4 - 43.6	89	45.0	40.6 - 49.4	213	

2016 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
78.8	70.7 - 85.1	56	76.0	69.4 - 81.5	67	75.9	69.9 - 81.1	95	76.7	72.9 - 80.0	218

2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	Н	igh Schools		Mic	Idle Schools			r/Senior Hig Schools	h	А	ll Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. Faculty and staff	18.2	12.3 - 25.9	59	12.6	8.0 - 19.2	72	5.3	2.9 - 9.3	96	10.9	8.4 - 14.0	227
b. Students	16.9	11.0 - 24.9	59	5.8	2.9 - 10.9	72	8.5	5.4 - 13.3	95	9.7	7.3 - 12.8	226

2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

		Hi	igh Schools		Mie	Idle Schools			r/Senior Hig Schools	h	А	Il Schools	
		95% Confidence Bercont Internal N			95% Confidence			95% Confidence			95% Confidence		
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Faculty and staff	23.1	18.4 - 28.6	59	17.2	12.2 - 23.8	70	7.3	4.4 - 11.7	96	14.5	12.0 - 17.4	225
b.	Students	27.5	20.5 - 35.7	59	13.7	8.8 - 20.8	70	12.5	9.1 - 16.8	96	16.7	13.8 - 20.1	225

2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

Н	igh Schools		Mic	idle Schools		Junior/Se	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
20.2	14.8 - 26.9	59	9.7 5.8 - 15.7 70			10.5	6.9 - 15.6	96	12.7	10.1 - 15.8	225	

2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

		Hi	gh Schools		Mic	Idle Schools		Junio	r/Senior Hig Schools	h	А	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Foods or beverages are not offered at school celebrations	4.8	2.3 - 9.9	59	5.2	2.7 - 9.9	71	3.2	1.5 - 6.7	96	4.3	2.8 - 6.4	226
b.	Never	3.6	1.4 - 8.8	59	5.7	2.9 - 10.8	71	0.0	Ť	96	2.8	1.6 - 4.7	226
c.	Rarely	22.2	15.8 - 30.2	59	13.2	9.4 - 18.3	71	17.9	13.0 - 24.2	96	17.5	14.4 - 21.0	226
d.	Sometimes	55.7	47.5 - 63.7	59	56.3	47.8 - 64.4	71	56.0	48.8 - 62.9	96	56.0	51.4 - 60.5	226
e.	Always or almost always	13.6	8.5 - 21.1	59	19.6	13.9 - 26.9	71	22.9	17.5 - 29.5	96	19.5	16.1 - 23.4	226

2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

Н	igh Schools		Mie	ddle Schools		Junior/Se	nior High Sc	hools	A	Il Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
3.2	1.3 - 7.8	59	3.4	1.3 - 8.3	71	5.3	2.9 - 9.3	95	4.1	2.7 - 6.4	225

2016 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	100ls	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
73.9	65.0 - 81.2	59	55.0	47.9 - 61.8	71	68.5	63.1 - 73.5	95	65.5	61.6 - 69.1	225

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mic	Idle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools		
		D (95% Confidence	N		95% Confidence	N		95% Confidence	N		95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Chocolate candy	13.2	8.8 - 19.4	59	12.1	8.5 - 17.0	70	13.0	9.2 - 18.0	94	12.8	10.3 - 15.7	223
b.	Other kinds of candy	25.1	19.1 - 32.3	59	13.6	9.6 - 18.8	70	15.0	10.8 - 20.4	94	17.1	14.3 - 20.3	223
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	25.2	19.8 - 31.7	59	15.7	11.8 - 20.7	70	18.5	14.0 - 24.1	93	19.3	16.5 - 22.5	222
d.	Low sodium or "no added salt" pretzels, crackers, or chips	51.8	44.3 - 59.3	59	34.4	28.7 - 40.7	70	45.0	39.5 - 50.5	94	43.3	39.7 - 46.9	223
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	33.1	28.1 - 38.4	58	23.3	17.9 - 29.8	70	21.5	17.1 - 26.6	94	25.0	22.0 - 28.2	222
f.	Ice cream or frozen yogurt that is not low in fat	11.8	7.6 - 17.7	59	5.3	2.8 - 10.0	70	9.7	6.3 - 14.8	93	8.8	6.7 - 11.6	222
g.	2% or whole milk (plain or flavored)	16.9	12.0 - 23.2	59	20.3	15.6 - 26.0	69	17.9	13.4 - 23.4	94	18.4	15.6 - 21.6	222
h.	Nonfat or 1% (low-fat) milk (plain)	37.0	30.0 - 44.6	59	25.5	19.6 - 32.4	69	29.8	24.0 - 36.3	94	30.2	26.6 - 34.2	222
i.	Water ices or frozen slushes that do not contain juice	9.6	6.2 - 14.6	59	11.2	7.9 - 15.8	70	8.5	5.4 - 13.3	94	9.7	7.6 - 12.3	223
j.	Soda pop or fruit drinks that are not 100% juice	29.8	23.1 - 37.5	59	16.2	11.8 - 21.9	70	23.3	18.9 - 28.4	94	22.7	19.6 - 26.0	223
k.	Sports drinks (e.g., Gatorade)	62.3	53.4 - 70.4	59	28.9	21.9 - 37.2	70	50.2	43.7 - 56.8	94	46.4	42.1 - 50.7	223

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools 95%		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	3.5	1.4 - 8.5	59	0.0	ţ	70	3.3	1.5 - 6.8	94	2.3	1.3 - 4.0	223
m. Bottled water	70.6	61.2 - 78.5	59	43.9	36.4 - 51.7	70	64.0	58.6 - 69.2	94	59.2	55.1 - 63.1	223
n. 100% fruit or vegetable juice	48.4	40.8 - 56.1	59	29.9	24.0 - 36.6	70	48.1	42.0 - 54.2	94	42.3	38.5 - 46.1	223
o. Foods or beverages containing caffeine	39.8	32.2 - 48.0	59	14.3	10.1 - 19.9	70	19.0	15.1 - 23.8	94	22.8	19.8 - 26.1	223
p. Fruits (not fruit juice)	23.1	18.7 - 28.1	59	10.7	6.4 - 17.3	70	14.0	10.0 - 19.2	94	15.2	12.6 - 18.3	223
q. Non-fried vegetables (not vegetable juice)	17.0	13.6 - 21.0	58	6.2	3.2 - 11.8	70	5.3	3.0 - 9.4	94	8.6	6.7 - 10.9	222

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

		H	igh Schools		Mic	Idle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	7.1	3.7 - 13.3	59	8.9	5.4 - 14.4	71	9.2	5.9 - 14.0	96	8.6	6.4 - 11.4	226
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	49.6	41.0 - 58.4	59	35.3	28.2 - 43.1	71	41.7	35.8 - 47.8	96	41.6	37.5 - 45.8	226
c.	Provided information to students or families on the nutrition and caloric content of foods available	55.9	47.4 - 64.1	59	54.7	46.6 - 62.6	71	46.5	39.9 - 53.3	95	51.6	47.2 - 56.0	225
d.	Conducted taste tests to determine food preferences for nutritious items	27.0	20.3 - 35.0	59	19.8	14.8 - 25.9	71	20.0	14.7 - 26.6	95	21.7	18.3 - 25.5	225
e.	Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	27.1	20.5 - 34.9	59	11.1	7.2 - 16.6	71	21.5	16.5 - 27.6	94	19.5	16.4 - 23.0	224
f.	Served locally or regionally grown foods in the cafeteria or classrooms	50.4	41.8 - 58.9	59	40.9	33.1 - 49.2	71	70.2	63.7 - 75.9	94	55.5	51.2 - 59.8	224
g.	Planted a school food or vegetable garden	20.1	14.2 - 27.8	59	12.7	8.1 - 19.3	71	24.3	18.6 - 31.0	95	19.4	16.1 - 23.3	225
h.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	86.4	78.9 - 91.5	59	74.4	66.2 - 81.2	71	77.4	71.6 - 82.4	93	78.7	74.8 - 82.2	223

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

		Hi	igh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
i.	Used attractive displays for fruits and vegetables in the cafeteria	72.6	64.4 - 79.5	59	71.7	65.1 - 77.4	71	75.6	69.2 - 81.1	95	73.6	69.7 - 77.1	225
j.	Offered a self-serve salad bar to students	85.4	77.9 - 90.6	59	73.5	65.1 - 80.5	71	94.8	90.9 - 97.1	95	85.5	81.9 - 88.4	225
k.	Labeled healthful foods with appealing names (e.g., crunchy carrots)	31.5	24.0 - 40.1	59	33.5	27.0 - 40.7	71	20.9	16.6 - 26.0	95	27.7	24.2 - 31.5	225
1.	Encouraged students to drink plain water	88.4	81.4 - 93.0	59	81.5	75.6 - 86.2	71	89.6	84.5 - 93.1	96	86.6	83.5 - 89.2	226
m.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	22.1	16.5 - 28.9	59	30.5	25.0 - 36.6	70	11.5	8.0 - 16.1	96	20.3	17.5 - 23.5	225
n.	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	22.0	16.2 - 29.0	59	33.6	26.7 - 41.4	71	8.3	5.2 - 13.0	96	20.0	16.9 - 23.5	226

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	gh Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	А	All Schools	
		Percent	95% Confidence Interval	N									
a.	In school buildings	48.8	41.4 - 56.3	59	63.3	57.7 - 68.6	71	52.4	45.5 - 59.1	96	55.0	51.1 - 58.9	226
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	36.7	29.2 - 45.0	59	55.0	48.6 - 61.4	71	46.1	39.3 - 52.9	96	46.6	42.6 - 50.8	226
c.	On school buses or other vehicles used to transport students	59.4	51.2 - 67.1	59	67.2	61.0 - 72.8	71	56.3	49.9 - 62.5	96	60.6	56.7 - 64.4	226
d.	In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	37.1	30.5 - 44.3	59	67.2	61.2 - 72.7	71	52.4	45.8 - 58.9	96	53.4	49.6 - 57.1	226
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	57.5	48.7 - 65.9	59	66.6	59.8 - 72.8	71	50.2	43.9 - 56.5	96	57.4	53.3 - 61.4	226

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		H	igh Schools		Mic	Idle Schools			r/Senior Hig Schools	h	Α	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. Yes,	in all locations	87.6	80.3 - 92.5	58	59.7	52.8 - 66.2	65	79.7	73.3 - 84.9	90	75.4	71.7 - 78.9	213
b. Yes,	in certain locations	9.0	5.0 - 15.7	58	32.3	25.4 - 40.0	65	19.1	13.9 - 25.8	90	20.6	17.2 - 24.6	213
c. No		3.4	1.3 - 8.2	58	8.0	5.2 - 12.2	65	1.1	0.3 - 4.1	90	3.9	2.7 - 5.7	213

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

Н	igh Schools		Mi	ddle Schools		Junior/Se	nior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
96.6	91.8 - 98.7	58	92.0	87.8 - 94.8	65	98.9	95.9 - 99.7	90	96.1	94.3 - 97.3	213

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

		Hi	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a.	Cafeteria during breakfast	98.4	94.3 - 99.6	59	97.3	93.4 - 98.9	66	97.8	94.5 - 99.1	92	97.8	96.1 - 98.8	217
b.	Cafeteria during lunch	98.4	94.3 - 99.6	59	98.7	95.2 - 99.6	66	98.9	96.0 - 99.7	93	98.7	97.3 - 99.4	218
c.	Gymnasium or other indoor physical activity facilities	98.1	93.3 - 99.5	59	96.1	91.8 - 98.2	70	92.7	88.3 - 95.6	96	95.2	92.9 - 96.7	225
d.	Outdoor physical activity facilities and sports fields	92.8	86.6 - 96.2	57	85.5	78.8 - 90.4	70	85.4	79.6 - 89.7	96	87.3	83.9 - 90.0	223
e.	Hallways throughout the school	98.4	94.3 - 99.6	59	98.7	95.5 - 99.7	70	100.0	†	96	99.2	98.0 - 99.7	225

*Among schools with that location.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
49.0	41.9 - 56.2	58	38.7	32.4 - 45.5	72	27.3	21.7 - 33.8	96	36.5	32.8 - 40.3	226

2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
52.2	44.8 - 59.5	58	54.8	47.6 - 61.8	72	66.4	59.8 - 72.4	93	59.0	54.9 - 62.9	223

2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
21.0	14.8 - 28.8	58	15.9	11.7 - 21.2	72	18.9	14.3 - 24.5	95	18.4	15.5 - 21.8	225

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

		High Schools		Mid	dle Schools			r/Senior Hig Schools	gh	Α	ll Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a.	HIV testing	0.0	†	58	0.0	Ť	72	0.0	†	95	0.0	Ť	225
b.	HIV treatment (ongoing medical care for persons living with HIV)	1.6	0.4 - 5.8	58	0.0	Ť	72	1.0	0.3 - 3.7	95	0.8	0.3 - 2.1	225
c.	STD testing	0.0	ţ	58	0.0	Ť	72	0.0	ţ	94	0.0	Ť	224
d.	STD treatment	0.0	ţ	57	0.0	Ť	72	0.0	ţ	94	0.0	ţ	223
e.	Pregnancy testing	0.0	ţ	58	0.0	Ť	72	1.1	0.3 - 3.9	94	0.5	0.1 - 1.6	224
f.	Provision of condoms	0.0	ţ	58	0.0	Ť	72	0.0	ţ	94	0.0	ţ	224
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	58	0.0	Ť	72	0.0	Ť	94	0.0	Ť	224
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	58	0.0	Ť	72	0.0	ŧ	93	0.0	ť	223
i.	Prenatal care	2.0	0.5 - 7.0	56	0.0	Ť	71	0.0	ţ	93	0.5	0.1 - 1.8	220
j.	Human papillomavirus (HPV) vaccine administration	0.0	ţ	58	0.0	Ť	72	1.0	0.3 - 3.7	94	0.4	0.1 - 1.6	224

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mic	Idle Schools			r/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N									
a.	HIV testing	33.4	26.6 - 41.0	51	17.9	13.3 - 23.6	68	22.7	17.7 - 28.7	85	23.6	20.4 - 27.1	204
b.	HIV treatment (ongoing medical care for persons living with HIV)	34.5	26.8 - 43.1	57	17.3	12.7 - 23.3	72	31.9	26.1 - 38.3	95	27.7	24.1 - 31.6	224
c.	nPEP (non-occupational post-exposure prophylaxis for HIVa short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	33.4	25.5 - 42.4	56	16.1	11.7 - 21.8	72	30.8	25.2 - 37.0	95	26.5	23.0 - 30.4	223
d.	STD testing	37.5	30.5 - 45.1	51	19.9	14.7 - 26.4	68	23.0	17.9 - 29.0	84	25.4	22.1 - 29.1	203
e.	STD treatment	36.0	28.4 - 44.4	50	17.7	13.1 - 23.3	69	23.0	17.9 - 29.0	84	24.2	20.9 - 27.8	203
f.	Pregnancy testing	37.9	29.9 - 46.6	50	20.2	14.9 - 26.7	67	24.2	19.0 - 30.3	84	26.1	22.6 - 30.0	201
g.	Provision of condoms	23.0	16.2 - 31.7	52	13.5	8.9 - 20.0	69	16.4	11.8 - 22.2	87	17.0	13.9 - 20.7	208

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mic	Idle Schools			r/Senior Hig Schools	h	А	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
h.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	20.9	14.5 - 29.1	52	11.5	7.5 - 17.3	69	16.0	11.5 - 21.8	89	15.6	12.7 - 19.1	210
i.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	24.4	17.3 - 33.2	53	11.5	7.5 - 17.3	69	17.2	12.8 - 22.6	89	17.0	14.0 - 20.5	211
j.	Prenatal care	39.3	32.0 - 47.0	51	20.2	14.9 - 26.7	67	24.2	19.0 - 30.3	84	26.5	23.1 - 30.3	202
k.	Human papillomavirus (HPV) vaccine administration	38.4	30.5 - 46.9	57	28.2	21.6 - 35.9	72	30.9	25.3 - 37.2	95	31.8	28.0 - 36.0	224

2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools Middle Schools						Junior/Se	enior High Scl	nools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
65.2	58.2 - 71.6	57	62.3	56.2 - 68.0	70	58.2	51.5 - 64.6	93	61.3	57.4 - 65.0	220	

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	Н	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	Α	All Schools	
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a. Asthma	100.0	†	58	100.0	ţ	72	97.9	94.8 - 99.2	95	99.1	97.8 - 99.6	225
b. Food allergies	100.0	Ť	58	100.0	Ť	72	98.9	96.1 - 99.7	94	99.5	98.3 - 99.9	224
c. Diabetes	100.0	ŧ	58	100.0	Ť	72	96.7	93.2 - 98.5	94	98.6	97.1 - 99.3	224
d. Epilepsy or seizure disorder	98.3	93.8 - 99.5	58	96.8	92.1 - 98.8	72	94.7	90.8 - 97.0	94	96.3	94.2 - 97.7	224
e. Obesity	54.0	46.3 - 61.6	58	54.9	47.8 - 61.9	72	49.8	42.4 - 57.1	94	52.5	48.2 - 56.9	224
f. Hypertension/high blood pressure	77.0	69.7 - 83.1	58	71.5	64.3 - 77.7	72	62.8	56.4 - 68.7	94	69.2	65.3 - 72.9	224

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	Hi	gh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	Α	All Schools	
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a. Asthma	59.4	51.1 - 67.2	57	61.8	54.1 - 68.9	72	51.7	45.0 - 58.3	95	56.9	52.7 - 61.1	224
b. Food allergies	57.8	49.8 - 65.3	57	56.2	48.9 - 63.2	72	52.2	45.5 - 58.9	94	54.9	50.7 - 59.1	223
c. Diabetes	59.4	51.1 - 67.2	57	59.3	52.1 - 66.2	72	52.2	45.4 - 58.9	94	56.3	52.1 - 60.5	223
d. Epilepsy or seizure disorder	59.4	51.1 - 67.2	57	58.1	50.7 - 65.2	72	52.2	45.4 - 58.9	94	55.9	51.7 - 60.1	223
e. Obesity	46.8	39.6 - 54.1	57	41.5	33.8 - 49.6	72	42.6	35.6 - 49.9	94	43.3	38.9 - 47.7	223
f. Hypertension/high blood pressure	53.7	46.0 - 61.3	57	48.6	41.2 - 56.1	72	49.0	42.1 - 55.9	94	50.0	45.8 - 54.3	223

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

		Hi	gh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N
a.	This school does not provide any sexual or reproductive health services	87.0	79.2 - 92.1	55	91.6	85.8 - 95.1	71	88.1	82.8 - 91.9	94	89.0	85.7 - 91.6	220
b.	Parental consent is required before any sexual or reproductive health services are provided	11.2	6.5 - 18.6	55	7.2	4.0 - 12.8	71	6.5	3.8 - 10.7	94	7.9	5.7 - 10.7	220
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.8	0.5 - 6.5	55	0.0	†	71	1.1	0.3 - 3.9	94	0.9	0.4 - 2.3	220
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	t	55	1.2	0.3 - 4.4	71	4.3	2.3 - 8.2	94	2.2	1.3 - 4.0	220
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	0.0	t	55	0.0	ţ	71	0.0	†	94	0.0	ţ	220
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	ŧ	55	0.0	Ť	71	0.0	†	94	0.0	ţ	220

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

		H	igh Schools		Mi	ddle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N									
a.	This school does not refer any sexual or reproductive health services	49.9	42.0 - 57.9	48	74.7	67.0 - 81.1	66	68.6	62.7 - 74.0	81	66.3	62.3 - 70.1	195
b.	Parental consent is required before any sexual or reproductive health services are referred	29.6	22.8 - 37.3	48	13.9	8.8 - 21.2	66	20.1	15.7 - 25.3	81	20.2	17.0 - 23.8	195
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	10.7	6.9 - 16.2	48	3.4	1.3 - 8.5	66	1.2	0.3 - 4.3	81	4.2	2.8 - 6.3	195
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	5.9	2.8 - 11.8	48	5.1	2.4 - 10.6	66	6.2	3.5 - 10.9	81	5.7	3.9 - 8.4	195
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	3.9	1.6 - 9.6	48	3.0	1.2 - 7.3	66	2.5	1.0 - 6.2	81	3.0	1.8 - 5.1	195
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	0.0	†	48	0.0	†	66	1.3	0.3 - 4.5	81	0.5	0.1 - 1.9	195

N = Unweighted number of observations

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	А	ll Schools	
		Percent	95% Confidence Interval	N									
a.	Provided parents and families with information about how to communicate with their child about sex	26.8	20.6 - 34.0	58	22.9	16.6 - 30.5	72	19.2	14.6 - 24.8	94	22.3	18.9 - 26.1	224
b.	Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	48.4	38.4 - 58.5	58	46.4	38.0 - 54.9	72	47.1	40.4 - 53.9	94	47.2	42.5 - 51.9	224
c.	Involved parents as school volunteers in the delivery of health education activities and services	28.3	20.6 - 37.5	58	14.5	9.7 - 21.1	72	19.2	14.3 - 25.4	94	19.9	16.5 - 23.8	224
d.	Linked parents and families to health services and programs in the community	70.1	63.0 - 76.4	58	69.0	60.5 - 76.4	71	54.1	47.2 - 60.8	94	63.0	58.7 - 67.2	223

2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
82.9	76.9 - 87.6	59	85.6	79.5 - 90.1	72	84.2	79.1 - 88.1	95	84.3	81.2 - 87.0	226

2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Se	nior High Scl	All Schools				
95%				95%			95%			95%		
Confidence				Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
80.5	73.6 - 85.9	59	83.0	77.4 - 87.4	72	50.5	44.3 - 56.6	95	68.7	65.2 - 72.1	226	

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Se	enior High Scl	All Schools			
	95%			95%			95%			95%	
Confidence		Confidence			Confidence			Confidence			
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
79.1	71.1 - 85.4	59	63.2	56.3 - 69.6	72	51.3	44.9 - 57.7	93	62.3	58.3 - 66.2	224

2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Se	enior High Scl	All Schools				
	95%			95%			95%			95%		
Confidence			Confidence			Confidence				Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
86.3	79.9 - 90.9	59	70.5	63.3 - 76.8	72	75.9	70.3 - 80.7	95	76.7	73.2 - 80.0	226	

2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Se	enior High Scl	All Schools					
	95%			95%			95%			95%			
Confidence				Confidence			Confidence			Confidence			
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν		
39.9	31.9 - 48.6	58	23.8	18.0 - 30.7	72	32.6	26.7 - 39.1	95	31.5	27.7 - 35.6	225		