
Mental Health Youth in Nebraska

29%

of Nebraska high school students said in the past year their mental health most of the time was not good

The number of Nebraska youth who felt sad or hopeless almost every day for at least two weeks in the past year has increased every year since 2012



2010 2012 2014 2016 2018 2021

49% vs. 25%

Girls were nearly twice as likely as boys to report feeling sad or hopeless



high school students (26%) were bullied in the past year.

Bullying on school property (21%) was more common than electronic bullying (17%).




high school students (19%)
seriously considered
attempting suicide in the past
12 months.

14% Made a plan of how they would attempt suicide

10% Attempted suicide

Had an attempt that resulted in seeking treatment

Current substance use was at least 2 times higher among students who said they frequently felt sad or hopeless vs. those that had did not.



Mental Health and Instability

of Nebraska high school students lived with someone who was depressed, suicidal, or mentally ill

of youth experiencing Adverse Childhood Experiences (ACEs)* felt sad or hopeless almost every day for the past 2 weeks - almost 3 times more than students who did not

















7 out of 10 students (69%) reporting 3 or more ACEs* reported feeling sad or hopeless.



More ACEs* were associated with higher levels of being bullied.

	Bullied at school	Bullied Online
No ACEs	14%	11%
1-2 ACEs Reported	23%	18%
3+ ACEs Reported	38%	39%

*ACEs Indicators included in the YRBS:

- Ever lived with someone who was depressed, mentally ill, or suicidal
- Ever lived with someone who has/had a problem with alcohol or drug use
- Ever been separated from a parent/quardian because they went to prison, jail, or a detention center
- Usually did not sleep in their parent's/quardian's home
- A parent or other adult in their home frequently swore at them, insulted them, or put them down
- A parent or other adult in their home frequently hit, beat, kicked, or physically hurt them in any way
- Their parents or other adults in their home frequently slapped, hit, kicked, punched, or beat each other up

Suicide ideation and action was higher among students with ACEs*

Any ACEs reported

No ACEs reported

28%

Seriously considered suicide

10%

22%

Made a plan of how they would attempt suicide

7%

16%

Attempted suicide

5%

Had an attempt that resulted in seeking treatment





Flaticons by Freepik

Data from the Nebraska 2021 Youth Risk Behavior Survey (YRBS). Weighted data, n=675. Funded by CDC-PS18-1807, "Promoting Adolescent Health through School-Based HIV Prevention."